

Publications involving Diamond Light Source are marked * in the reference

Facilities and methods

1. A new high-flux chemical and materials crystallography station at the SRS Daresbury. 1. Design, construction and test results
R. J. Cernik, W. Clegg, C. R. A. Catlow, G. Bushnell-Wye, J. V. Flaherty, G. N. Greaves, I. Burrows, D. J. Taylor, S. J. Teat and M. Hamichi.
J. Synchrotron Rad. 1997, **4**, 279–286.
2. All molecules great and small.
W. Clegg.
Daresbury Laboratory SRD Annual Report 1996–1997, 34–35.
3. Difficult structures: improving your chances with synchrotron radiation
W. Clegg.
Acta Cryst. 1999, **A55**, C91–C92.
4. A new high-flux chemical and materials crystallography station at the SRS Daresbury. 1. Design, construction and test results. Corrigendum.
R. J. Cernik, W. Clegg, C. R. A. Catlow, G. Bushnell-Wye, J. V. Flaherty, G. N. Greaves, I. Burrows, D. J. Taylor, S. J. Teat and M. Hamichi.
J. Synchrotron Rad. 2000, **7**, 40.
5. Synchrotron chemical crystallography
W. Clegg.
J. Chem. Soc. Dalton Trans. 2000, 3223–3232.
6. Future directions in solid state chemistry: report of the NSF-sponsored workshop
R. J. Cava, F. J. DiSalvo, L. E. Brus, K. R. Dunbar, C. B. Gorman, S. M. Haile, L. V. Interrante, J. L. Musfeldt, A. Navrotsky, R. G. Nuzzo, W. E. Pickett, A. P. Wilkinson, C. Ahn, J. W. Allen, P. C. Burns, G. Ceder, C. E. D. Chidsey, W. Clegg, E. Coronado, H. Dai, M. W. Deem, B. S. Dunn, G. Galli, A. J. Jacobson, M. Kanatzidis, W. Lin, A. Manthiram, M. Mrksich, D. J. Norris, A. J. Nozik, X. Peng, C. Rawn, D. Rolison, D. J. Singh, B. H. Toby, S. Tolbert, U. B. Wiesner, P. M. Woodward and P. Yang.
Prog. Solid State Chem. 2002, **30**, 1–101.
7. Still bad crystals, but good data and results from synchrotron facilities
W. Clegg and R. W. Harrington.
Acta Cryst. 2005, **A61**, C140.
8. Four years of the EPSRC SRS service
R. W. Harrington and W. Clegg.
Acta Cryst. 2005, **A61**, C481.
9. Bringing the power of synchrotron crystallography to the chemical community
W. Clegg, R. W. Harrington and L. Russo.
Acta Cryst. 2008, **A64**, C181.
10. Synchrotron single-crystal diffraction for chemists: development and maturity
W. Clegg.
ACA Transactions* 2013, **44, 61–68.

11. Remote access revolution: chemical crystallographers enter a new era at Diamond Light Source beamline I19
N. T. Johnson, P. G. Waddell, W. Clegg and M. R. Probert.
Crystals* 2017, **7, 360.
 12. Pioneering remote-access use of Diamond beamline I19
W. Clegg, N. T. Johnson, M. R. Probert and P. G. Waddell.
Acta Cryst.* 2017, **A73, C316.
 13. Synchrotron single-crystal diffraction for chemistry and materials: new developments
W. Clegg.
Acta Cryst.* 2018, **A74, e74.
 14. The development and exploitation of synchrotron single-crystal diffraction for chemistry and materials
W. Clegg
Phil. Trans. Roy. Soc. A* 2019, **377, 20180239.
 15. Some reflections on symmetry: pitfalls of automation and some illustrative examples
W. Clegg.
Acta Cryst. 2019, **E75**, 1812–1819.
 16. Encapsulated nanodroplet crystallization of organic-soluble small molecules
A. R. Tyler, R. Ragbir Singh, C. J. McMonagle, P. G. Waddell, S. E. Heaps, J. W. Steed, P. Thaw, M. J. Hall and M. R. Probert.
Chem* 2020, **6, 1755–1765.
-

Clegg research group

17. Tetracycline hydrochloride: a synchrotron microcrystal study
W. Clegg and S. J. Teat.
Acta Cryst. 2000, **C56**, 1343–1345.
18. 5-(1-Cyclohexen-1-yl)-1,5-dimethylbarbituric acid (hexobarbitone): a low-temperature redetermination
G. S. Nichol and W. Clegg.
Acta Cryst. 2005, **E61**, o1004–o1006
19. 5-Butyl-5-ethylbarbituric acid: a phase transition at low temperature
G. S. Nichol and W. Clegg.
Acta Cryst. 2005, **C61**, o297–o299.
20. 6-Methyl-2-pyridone: an elusive structure finally solved
G. S. Nichol and W. Clegg.
Acta Cryst. 2005, **C61**, o383–o385.
21. Violuric acid monohydrate: a definitive redetermination at 150 K
G. S. Nichol and W. Clegg.
Acta Cryst. 2005, **E61**, o3788–3790.
22. Hydrogen-bonding and carbonyl–carbonyl interactions in violuric acid methanol solvate
G. S. Nichol and W. Clegg.
Acta Cryst. 2005, **C61**, o721–o724.

23. The importance of weak C–H…O bonds and $\pi\cdots\pi$ stacking interactions in the formation of organic 1,8-bis(dimethylamino)naphthalene complexes with $Z' > 1$
G. S. Nichol and W. Clegg.
Cryst. Growth Des. 2006, **6**, 451–460.
24. Classical hydrogen bonding and weaker C–H…O interactions in complexes of uracil-5-carboxylic acid with the alkali metals Na–Cs
G. S. Nichol and W. Clegg.
Polyhedron 2006, **25**, 1043–1056.
25. Synthesis and structure of the $n = 4$ member of the framework aluminium alkylenediphosphonate series $\text{Al}_2[\text{O}_3\text{PC}_n\text{H}_{2n}\text{PO}_3](\text{H}_2\text{O})_2\text{F}_2$
Z. Yuan, W. Clegg and M. P. Attfield.
J. Porous Mater. 2006, **13**, 207–212.
26. Synthesis and characterization of two novel pyridine-containing framework gallium ethylenediphosphonates
Z. Yuan, W. Clegg and M. P. Attfield.
J. Solid State Chem. 2006, **179**, 1739–1749.
27. Complexes of 6-methyl-2-pyridone with the alkaline earth metals magnesium, strontium and barium: synthesis and structural characterisation
G. S. Nichol and W. Clegg.
Inorg. Chim. Acta 2006, **359**, 3474–3480.
28. Anhydrous guanine: a synchrotron study
K. Guille and W. Clegg.
Acta Cryst. 2006, **C62**, o515–o517.
29. A synchrotron study of *catena*-poly[(tri- μ -aqua)triaquabarrium(II) bis(6-methylpyridin-2-olate)]
G. S. Nichol and W. Clegg.
Acta Cryst. 2007, **E63**, m1135–m1137.
30. Characterisation and properties of the $n = 3$ and $n = 4$ members of the $\text{Al}_2[\text{O}_3\text{PC}_n\text{H}_{2n}\text{PO}_3](\text{H}_2\text{O})_2\text{F}_2$ framework aluminium alkylenediphosphonate series
M. P. Attfield, C. Mendieta-Tan, Z. Yuan and W. Clegg.
Solid State Sciences 2008, **10**, 1124–1131.
31. Formation of helix-containing rods in a hybrid inorganic-organic material
Z. Yuan, W. Clegg and M. P. Attfield.
J. Solid State Chem. 2009, **182**, 3049–3054.
32. Structural variety within gallium diphosphonates affected by the organic linker length
M. P. Attfield, Z. Yuan, H. G. Harvey and W. Clegg.
Inorg. Chem. 2010, **49**, 2656–2666.
33. Structural variation in mellitate complexes of first-row transition metals: what chance for design?
W. Clegg and J. M. Holcroft.
Cryst. Growth Des.* 2014, **14, 6282–6293.
34. Distortions, deviations and alternative facts: reliability in crystallography
W. Clegg
IUCrJ* 2021, **8, 4–11.

Newcastle research groups

35. Alkali-metal-mediated coupling of a phosphorus-substituted alkene. Structural characterization of dilithium 1,1,4,4-tetrakis(diphenylphosphino)butane-1,4-diide
W. Clegg, K. Izod, W. McFarlane and P. O'Shaughnessy.
Organometallics 1998, **17**, 5231–5232.
36. Base-specific minor groove site binding in metallo-nucleobase polymers
M. A. Shipman, C. Price, M. R. J. Elsegood, W. Clegg and A. Houlton.
Angew. Chem. Int. Ed. 2000, **39**, 2360–2362.
37. Reactions of alkynes with $[\text{Fe}_2(\text{CO})_6(\mu\text{-PPh}_2)\{\mu\text{-}\eta^1\text{:}\eta^2_{\alpha,\beta}\text{-(H)}\text{C}_\alpha=\text{C}_\beta=\text{C}_\gamma\text{H}_2\}]$: formation of diphenylvinylphosphine-functionalized vinyl carbenes via carbon–carbon and carbon–phosphorus bond formation and hydrogen migration
S. Doherty, G. Hogarth, M. Waugh, W. Clegg and M. R. J. Elsegood.
Organometallics 2000, **19**, 4557–4562.
38. Monomer, dimer, tetramer, polymer: structural diversity in zinc and cadmium complexes of chelate-tethered nucleobases
M. A. Shipman, C. Price, A. E. Gibson, M. R. J. Elsegood, W. Clegg and A. Houlton.
Chem. Eur. J. 2000, **6**, 4371–4378.
39. Macrochelation, cyclometallation and G-quartet formation: N³- and C⁸-bound Pd^{II} complexes of adenine and guanine
C. Price, M. A. Shipman, N. H. Rees, M. R. J. Elsegood, A. J. Edwards, W. Clegg and A. Houlton.
Chem. Eur. J. 2001, **7**, 1194–1201.
40. Controlled stepwise conversion of 2,4,6,8-tetrachloropyrimido[5,4-*d*]pyrimidine into 2,4,6,8-tetrasubstituted pyrimido[5,4-*d*]pyrimidines
J. S. Northen, F. T. Boyle, W. Clegg, N. J. Curtin, A. J. Edwards, R. J. Griffin and B. T. Golding.
J. Chem. Soc. Perkin Trans. 1 2002, 108–115.
41. Self-complementary metal complexes containing a DNA base pair
C. Price, B. R. Horrocks, A. Mayeux, M. R. J. Elsegood, W. Clegg and A. Houlton.
Angew. Chem. Int. Ed. 2002, **41**, 1047–1049.
42. Iminophosphines: synthesis, formation of 2,3-dihydro-1*H*-benzo[1,3]azaphosphol-3-ium salts and *N*-(pyridin-2-yl)-2-diphenylphosphinylaniline, coordination chemistry and applications in platinum group catalyzed Suzuki coupling reactions and hydrosilylations
S. Doherty, J. G. Knight, T. H. Scanlan, M. R. J. Elsegood and W. Clegg.
J. Organomet. Chem. 2002, **650**, 231–248.
43. Metallocene–DNA: synthesis, molecular and electronic structure and DNA incorporation of C₅-ferrocenylthymidine derivatives
A. Pike, L. C. Ryder, B. R. Horrocks, W. Clegg, M. R. J. Elsegood, B. A. Connolly and A. Houlton.
Chem. Eur. J. 2002, **8**, 2891–2899.
44. Minor groove site coordination of adenine by platinum group metal ions: effects on basicity, base-pairing, and electronic structure
D. Amantia, C. Price, M. A. Shipman, M. R. J. Elsegood, W. Clegg and A. Houlton.
Inorg. Chem. 2003, **42**, 3047–3056.

45. Alkali metal-mediated Schlenk dimerization of a phosphorus-substituted alkene. Synthesis and crystal structures of Li, Na and K derivatives of a phosphorus-stabilized butane-1,4-diide ligand
K. Izod, W. McFarlane, B. V. Tyson, W. Clegg, R. W. Harrington and S. T. Liddle.
Organometallics 2003, **22**, 3684–3690.
46. New 1- and 2-dimensional polymeric structures of cyanopyridine complexes of Ag^I and Cu^I
P. Lin, R. A. Henderson, R. W. Harrington, W. Clegg, C.-D. Wu and X.-T. Wu.
Inorg. Chem. 2004, **43**, 181–188.
47. A sterically constrained bis(2,2':6',2''-terpyridine) ligand
A. C. Benniston, W. Clegg, R. W. Harrington and P. Li.
Acta Cryst. 2004, **E60**, o2452–o2454.
48. Synthesis and characterization of a Mo/Ag/Rb heterotrimetallic cluster with double-cage architecture
P. Lin, W. Clegg, R. W. Harrington and R. A. Henderson.
Dalton Trans. 2005, 2349–2351.
49. Synthesis and structures of 5-(pyridyl)tetrazole complexes of Mn(II)
P. Lin, W. Clegg, R. W. Harrington and R. A. Henderson.
Dalton Trans. 2005, 2388–2394.
50. Stabilization of a dialkylstannylene by unusual B–H...Sn γ -agostic-type interactions. A structural, spectroscopic, and DFT study
K. Izod, W. McFarlane, B. V. Tyson, I. Carr, W. Clegg and R. W. Harrington.
Organometallics 2006, **25**, 1135–1143.
51. Heteroleptic complexes of lanthanum(III) and neodymium(III) with oxygen- or nitrogen-functionalized tris(triorganosilyl)methyl ligands
L. J. Bowman, K. Izod, W. Clegg and R. W. Harrington.
Organometallics 2006, **25**, 2999–3006.
52. Amino-functionalised diarylphosphide complexes of the alkali metals and lanthanum
K. Izod, S. T. Liddle, W. Clegg and R. W. Harrington.
Dalton Trans. 2006, 3431–3437.
53. Conserved molecular architecture in polymetallic nucleobase complexes
D. Amantia, M. A. Shipman, C. Price, M. R. J. Elsegood, W. Clegg and A. Houlton.
Inorg. Chim. Acta 2006, **359**, 3515–3520.
54. Modular synthesis of a new class of bis(amino-oxazoline) using palladium-catalyzed Buchwald-Hartwig amination methodology
S. Doherty, J. G. Knight, C. H. Smyth, N. T. Sore, R. K. Rath, W. McFarlane, R. W. Harrington and W. Clegg.
Organometallics 2006, **25**, 4341–4350.
55. Heavier alkali metal complexes of a silicon- and phosphine-borane-stabilized carbanion
K. Izod, C. Wills, W. Clegg and R. W. Harrington.
Organometallics 2006, **25**, 5326–5332.
56. Synthesis and structures of Ln(II) and Ln(III) dialkyls derived from LnI₂ (Ln = Nd, Tm, Yb)
L. J. Bowman, K. Izod, W. Clegg and R. W. Harrington.
Organometallics 2007, **26**, 2646–2651.

57. Structure-based design of 2-arylamino-4-cyclohexylmethoxy-5-nitroso-6-aminopyrimidine inhibitors of cyclin-dependent kinase 2
F. Marchetti, K. L. Sayle, J. Bentley, W. Clegg, N. J. Curtin, J. A. Endicott, B. T. Golding, R. J. Griffin, K. Haggerty, R. W. Harrington, V. Mesguiche, D. R. Newell, M. E. M. Noble, R. J. Parsons, D. J. Pratt, L. Z. Wang and I. R. Hardcastle.
Org. Biomol. Chem. 2007, **5**, 1577–1585.
58. Alkali metal complexes of a phosphine–borane-stabilised carbanion: influence of co-ligands on structure
K. Izod, C. Wills, W. Clegg and R. W. Harrington.
Dalton Trans. 2007, 3669–3675.
59. Quinoline and pyridopyrimidinone inhibitors of DNA-dependent protein kinase
O. R. Barbeau, C. Cano-Soumillac, R. J. Griffin, I. R. Hardcastle, G. C. M. Smith, C. Richardson, W. Clegg, R. W. Harrington and B. T. Golding.
Org. Biomol. Chem. 2007, **5**, 2670–2677.
60. A spectroscopic study of the reduction of geometrically restrained viologens
A. C. Benniston, A. Harriman, P. Li, J. P. Rostron, R. W. Harrington and W. Clegg.
Chem. Eur. J. 2007, **13**, 7838–7851.
61. Metalation of trimethylphosphine–borane. Unexpected reactivity of a simple phosphine–borane-stabilized carbanion toward siloxanes
K. Izod, C. Wills, W. Clegg and R. W. Harrington.
Organometallics 2007, **26**, 2861–2866.
62. Synthesis and reactivity of the methoxozirconium pentatungstate (ⁿBu₄N)₆[{(μ -MeO)ZrW₅O₁₈}₂]: insights into proton-transfer reactions, solution dynamics, and assembly of {ZrW₅O₁₈}²⁻ building blocks
R. J. Errington, S. S. Petkar, P. S. Middleton, W. McFarlane, W. Clegg, R. A. Coxall and R. W. Harrington.
J. Am. Chem. Soc. 2007, **129**, 12181–12196.
63. Non-aqueous synthetic methodology for TiW₅ polyoxometalates: protonolysis of [(MeO)TiW₅O₁₈]³⁻ with alcohols, water and phenols
R. J. Errington, S. S. Petkar, P. S. Middleton, W. Clegg, R. A. Coxall and R. W. Harrington.
Dalton Trans. 2007, 5211–5222.
64. Efficient asymmetric carbonyl-ene reactions catalyzed by platinum metal Lewis acid complexes of conformationally flexible NUPHOS diphosphines: a comparison with BINAP
S. Doherty, J. G. Knight, C. H. Smyth, R. W. Harrington and W. Clegg.
Organometallics 2007, **26**, 6453–6461.
65. In situ formation of heterobimetallic salen complexes containing titanium and/or vanadium ions
Y. N. Belokon', W. Clegg, R. W. Harrington, M. North and C. Young.
Inorg. Chem. 2008, **47**, 3801–3814.
66. A donor–acceptor molecular dyad showing multiple electronic energy-transfer processes in crystalline and amorphous states
A. C. Benniston, G. Copley, A. Harriman, D. B. Rewinska, R. W. Harrington and W. Clegg.
J. Am. Chem. Soc. 2008, **130**, 7174–7175.
67. Electrochemically and photochemically active palladium(II) heterotopic metallacalix[3]arenes
M. A. Galindo, A. Houlton, W. Clegg, R. W. Harrington, J. Dobado, F. Santoyo-Gonzalez, F. Linares, M. Angustias Romero and J. A. R. Navarro.
Chem. Commun. 2008, 3735–3737.

68. Agostic-type B–H...Pb interactions stabilize a dialkylplumbylene. Structure of and bonding in $\{n\text{Pr}_2\text{P}(\text{BH}_3)\}\{\text{Me}_3\text{Si}\}\text{CCH}_2\}_2\text{Pb}$
K. Izod, W. McFarlane, C. Wills, W. Clegg and R. W. Harrington.
Organometallics 2008, **27**, 4386–4394
69. Mechanism-guided development of VO(salen)X complexes as catalysts for the asymmetric synthesis of cyanohydrin trimethylsilyl ethers
Y. N. Belokon, W. Clegg, R. W. Harrington, V. I. Maleev, M. North, M. O. Pujol, D. L. Usanov and C. Young.
Chem. Eur. J. 2009, **15**, 2148–2165.
70. Self-assembly of a bis(adeninyl)–Cu(I) complex: a cationic nucleobase duplex mimic
M. A. Galindo, D. Amantia, W. Clegg, R. W. Harrington, R. J. Eyre, J. P. Goss, P. R. Briddon, W. McFarlane and A. Houlton.
Chem. Commun. 2009, 2833–2835.
71. Probing metal-ion purine interactions at DNA minor-groove sites
M. A. Galindo, D. Amantia, A. M. Martinez, W. Clegg, R. W. Harrington, V. M. Martinez and A. Houlton.
Inorg. Chem. 2009, **48**, 10295–10303.
72. Reactions of Pd(II) with chelate-tethered 2,6-diaminopurine derivatives: N3-coordination and reaction of the purine system
M. A. Galindo, D. Amantia, A. Martinez-Martinez, W. Clegg, R. W. Harrington, V. Moreno Martinez and A. Houlton.
Inorg. Chem. 2009, **48**, 11085–11091.
73. Cofacial boron dipyrromethene (Bodipy) dimers: synthesis, charge delocalization, and exciton coupling
A. C. Benniston, G. Copley, A. Harriman, D. Howgego, R. W. Harrington and W. Clegg.
J. Org. Chem. 2010, **75**, 2018–2027.
74. Cyclic carbonates as sustainable solvents for proline-catalysed aldol reactions
W. Clegg, R. W. Harrington, M. North, F. Pizzato and P. Villuendas.
Tetrahedron: Asymmetry* 2010, **21, 1262–1271.
75. A bimetallic aluminum(salen) complex for the synthesis of 1,3-oxathiolane-2-thiones and 1,3-dithiolane-2-thiones
W. Clegg, R. W. Harrington, M. North and P. Villuendas.
J. Org. Chem.* 2010, **75, 6201–6207.
76. Kinetic and theoretical studies on the protonation of $[\text{Ni}(2-\text{C}_6\text{H}_4\text{N})\{\text{PhP}(\text{CH}_2\text{CH}_2\text{PPh}_2)_2\}]^+$: nitrogen versus sulfur as the protonation site
A. L. Petrou, A. D. Koutselos, H. S. Wahab, W. Clegg, R. W. Harrington and R. A. Henderson.
Inorg. Chem. 2011, **50**, 847–857.
77. Catalysts and solvents for sustainable organic chemistry
W. Clegg, R. W. Harrington and M. North.
**Diamond Light Source Annual Review* 2010–2011, 86–87.
78. Photoinduced charge shift and charge recombination through an alkynyl spacer for an expanded acridinium-based dyad
A. C. Benniston, J. Hagon, X. He, H. Lemmetyinen, N. V. Tkachenko, W. Clegg and R. W. Harrington.
Phys. Chem. Chem. Phys. 2012, **14**, 3194–3199.
79. Air-stable, highly fluorescent primary phosphanes
L. H. Davies, B. Stewart, R. W. Harrington, W. Clegg and L. J. Higham.
Angew. Chem. Int. Ed.* 2012, **51, 4921–4924.

80. Diastereoselective intermolecular ene reactions: synthesis of 4,5,6,7-tetrahydro-1*H*-benzo[*d*]imidazoles
L. J. Watson, R. W. Harrington, W. Clegg and M. J. Hall.
Org. Biomol. Chem.* 2012, **10, 6649–6655.
81. Effect on charge transfer and charge recombination by insertion of a naphthalene-based bridge in molecular dyads based on borondipyrromethene (Bodipy)
A. C. Benniston, S. Clift, J. Hagon, H. Lemmetyinen, N. V. Tkachenko, W. Clegg and R. W. Harrington.
ChemPhysChem* 2012, **13, 3672–3681.
82. Synthesis and stability of 3-hydroxyanagrelide, a biologically potent metabolite of anagrelide
R. B. Scott, C. M. Downey, K. P. Healey, A. P. Henderson, C. L. Robinson, W. Clegg, R. W. Harrington,
R. Franklin and B. T. Golding.
Heterocycles 2012, **86**, 1637–1646.
83. Phosphido-borane and phosphido-bis(borane) complexes of the alkali metals, a comparative study
K. Izod, J. M. Watson, W. Clegg and R. W. Harrington.
Inorg. Chem. 2013, **52**, 1466–1475.
84. Electron-rich trialkyl-type dihydro-KITPHOS monophosphines: efficient ligands for palladium-catalyzed Suzuki–Miyaura cross-coupling. Comparison with their biaryl-like KITPHOS monophosphine counterparts
S. Doherty, J. G. Knight, M. Mumby, N. A. B. Ward, D. M. Bittner, C. Wills, W. McFarlane, W. Clegg
and R. W. Harrington.
Organometallics* 2013, **32, 1773–1788.
85. Light-induced rearrangement of thioether-substituted phosphanide ligands: scope and limitations of a remarkable isomerization
K. Izod, E. R. Clark, P. Foster, R. J. Percival, I. M. Riddlestone, W. Clegg and R. W. Harrington.
Chem. Eur. J.* 2013, **19, 6094–6107.
86. Coordination chemistry of 6-thioguanine derivatives with cobalt: toward formation of electrical conductive one-dimensional coordination polymers
P. Amo-Ochoa, S. S. Alexandre, S. Hribesh, M. A. Galindo, O. Castillo, C. J. Gómez-García, A. R. Pike,
J. M. Soler, A. Houlton, R. W. Harrington, W. Clegg and F. Zamora.
Inorg. Chem.* 2013, **52, 5290–5299 and 7306.
87. Axially Chiral BODIPYs
R. I. Lerrick, T. P. L. Winstanley, K. Haggerty, C. Wills, W. Clegg, R. W. Harrington, P. Bultinck,
W. Herrebout, A. C. Benniston and M. J. Hall.
Chem. Commun.* 2014, **50, 4714–4716.
88. A simple method for desymmetrizing 1,1'-ferrocenedicarboxaldehyde
A. C. Benniston, D. Sirbu, C. Turta, M. R. Probert and W. Clegg.
Tetrahedron Lett.* 2014, **55, 3777–3780.
89. $^B\text{R}_2\text{BodPR}_2$: highly fluorescent alternatives to PPh_3 and PhPCy_2
L. H. Davies, R. W. Harrington, W. Clegg and L. J. Higham.
Dalton Trans.* 2014, **43, 13485–13499.
90. Synthesis, molecular structure and properties of a ferrocene-based difluoropyrrolo-oxaborole derivative
A. C. Benniston, D. Sirbu, C. Turta, M. R. Probert and W. Clegg.
**Eur. J. Inorg. Chem.* 2014, 6212–6219.
91. Mechanisms and rates of proton transfer to coordinated carboxydithioates: studies on $[\text{Ni}(\text{S}_2\text{CR})\{\text{PhP}(\text{CH}_2\text{CH}_2\text{ppH}_2)_2\}]^+$ ($\text{R} = \text{Me, Et, Bu}'' \text{ or } \text{Ph}$)
A. Alwaaly, W. Clegg, R. A. Henderson, M. R. Probert and P. G. Waddell.
Dalton Trans.* 2015, **44, 3307–3317.

92. Homoleptic and heteroleptic ruthenium(II) complexes based on 2,6-bis(quinolin-2-yl)pyridine ligands – multiple-charged-state modules for potential density memory storage
I. Marin, C. Turta, A. C. Benniston, R. W. Harrington and W. Clegg.
**Eur. J. Inorg. Chem.* 2015, 786–793.
93. Circularly polarized luminescence from helically chiral *N,N,O,O*-boron-chelated dipyrromethenes
R. B. Alnoman, S. Rihn, D. C. O'Connor, F. A. Black, B. Costello, P. G. Waddell, W. Clegg, R. D. Peacock, W. Herrebout, J. G. Knight and M. J. Hall.
Chem. Eur. J.* 2016, **22, 93–96.
94. High-throughput screening and hit validation of extracellular-related kinase 5 (ERK5) inhibitors
S. M. Myers, R. H. Bawn, L. C. Bisset, T. J. Blackburn, B. Cottyn, L. Molyneux, A.-C. Wong, C. Cano, W. Clegg, R. W. Harrington, H. Leung, L. Rigoreau, S. Vidot, B. T. Golding, R. J. Griffin, T. Hammonds, D. R. Newell and I. R. Hardcastle.
ACS Comb. Sci. 2016, **18**, 444–455.
95. Synthesis of pentacyclic pyrrolo[3,4-*a*]carbazole-1,3(2*H*)-diones via an intermolecular Diels–Alder, intramolecular carbonyl-ene reaction strategy
M. Abualnaja, P. G. Waddell, W. Clegg and M. J. Hall.
Tetrahedron* 2016, **72, 5798–5806.
96. Remote substituent effects on the structures and stabilities of P=E π-stabilized diphosphatetrylenes (R₂P)₂E (E = Ge, Sn)
K. Izod, P. Evans, P. G. Waddell and M. R. Probert.
Inorg. Chem.* 2016, **55, 10510–10522.
97. Coinage metal complexes of phosphonate analogues of 2-diphenylphosphino-1,1'-binaphthyl (H-MOP) and 2-diphenylphosphino-2'-methoxy-1,1'-binaphthyl (MeO-MOP)
J. T. Fleming, P. G. Waddell, M. R. Probert, W. Clegg and L. J. Higham.
**Eur. J. Inorg. Chem.* 2017, 2837–2844.
98. Production of 17-*O*-demethyl-geldanamycin, a cytotoxic ansamycin polyketide, by *Streptomyces hygroscopicus* DEM20745
A. Baksh, B. Kepplinger, H. A. Isah, M. R. Probert, W. Clegg, C. Wills, M. Goodfellow, J. Errington, N. Allenby and M. J. Hall.
Nat. Prod. Res.* 2017, **31, 1895–1900.
99. Mode of action of kanglemycin A, an ansamycin natural product that is active against rifampicin-resistant *Mycobacterium tuberculosis*
H. Mosaei, V. Molodtsov, B. Kepplinger, J. Harbottle, C. W. Moon, R. E. Jeeves, L. Ceccaroni, Y. Shin, S. Morton-Laing, E. C. L. Marrs, C. Wills, W. Clegg, Y. Yuzenkova, J. D. Perry, J. Bacon, J. Errington, N. E. E. Allenby, M. J. Hall, K. S. Murakami and N. Zenkin.
Mol. Cell* 2018, **72, 263–274.
100. Addressing the properties of “Metallo-DNA” with a Ag(I)-mediated supramolecular duplex
L. Mistry, O. El-Zubir, G. Dura, W. Clegg, P. G. Waddell, T. Pope, W. A. Hofer, N. G. Wright, B. R. Horrocks and A. Houlton.
Chem. Sci.* 2019, **10, 3186–3195.
101. Hydrogen peroxide assisted photorelease of an anthraquinone-based ligand from [Ru(2,2'-bipyridine)₂(9,10-dioxo-9,10-dihydroanthracen-1-olate)]Cl in aqueous solution
L. Zeng, D. Sirbu, P. G. Waddell, N. V. Tkachenko, M. R. Probert and A. C. Benniston.
Dalton Trans.* 2020, **49, 13243–13252.

102. Phosphido-bis(borane) complexes of the alkaline earth metals
 K. Izod, J. M. Watson, R. W. Harrington and W. Clegg.
Dalton Trans.* 2021, **50, 1019–1024.
103. Diastereoselective rearomative etherifications and aminations of 2,3,9,9a-tetrahydro-1*H*-carbazoles
 M. M. Abualnaja, J. Cowell, J. D. Jolliffe, C. Wills, P. G. Waddell, W. Clegg and M. J. Hall.
Tetrahedron* 2021, **89, 132144.
104. Discovery, isolation, heterologous expression and mode-of-action studies of the antibiotic polyketide tatiomicin from *Amycolatopsis* sp. DEM30355
 B. Kepplinger, L. Mardiana, J. Cowell, S. Morton-Laing, Y. Dashti, C. Wills, E. C. L. Marrs, J. D. Perry, J. Gray, M. Goodfellow, J. Errington, M. R. Probert, W. Clegg, J. Bogaerts, W. Herrebout, N. E. E. Allenby and M. J. Hall.
Scientific Reports* 2022, **12, 15579.
-

UK research collaborations

105. Structures of [PhCNSSN]₂[Pt(mnt)₂] and [(*p*-ClC₆H₄CNSSN)₂Cl][Pt(mnt)₂] (mnt = maleonitriledithiolato ligand)
 W. Clegg, S. L. Birkby, A. J. Banister, J. M. Rawson, S. T. Wait, P. Rizkallah, M. M. Harding and A. J. Blake.
Acta Cryst. 1994, **C50**, 28–33.
106. Macropolyhedral boron-containing cluster chemistry. Assessment of the possibilities of thermolytic mixed-cluster fusion, and of the use of synchrotron X-radiation for the examination of small single crystals of metallaboranes. Isolation and structure of eighteen-vertex [7-(CO)-7,7-(PMe₃)₂-*syn*-7-IrB₁₇H₂₀]
 J. Bould, W. Clegg, J. D. Kennedy, S. J. Teat and M. Thornton-Pett.
J. Chem. Soc. Dalton Trans. 1997, 2005–2007.
107. Structure of templated microcrystalline DAF-5 (Co_{0.28}Al_{0.72}PO₄C₁₀H₂₀N₂) determined by synchrotron-based diffraction methods
 G. Sankar, J. K. Wyles, R. H. Jones, J. M. Thomas, C. R. A. Catlow, D. W. Lewis, W. Clegg, S. J. Coles and S. J. Teat.
Chem. Commun. 1998, 117–118.
108. Macropolyhedral boron-containing cluster chemistry. Mixed and multiple cluster fusion in platinaborane chemistry and the structure of [(PMe₂Ph)₂PtB₁₆H₁₇PtB₁₀H₁₁(PMe₂Ph)] as determined by synchrotron X-ray diffraction analysis
 J. Bould, W. Clegg, J. D. Kennedy and S. J. Teat.
J. Chem. Soc. Dalton Trans. 1998, 2777–2778.
109. Synthesis, crystal structure, and electronic structure of a 5,15-dialkylidineporphyrin: a TCNQ/porphyrin hybrid
 I. M. Blake, H. L. Anderson, D. Beljonne, J.-L. Brédas and W. Clegg.
J. Am. Chem. Soc. 1998, **120**, 10764–10765.
110. A novel titanium-oxygen ladder structure supported by calix[4]arene ligands, characterised by synchrotron crystallography
 W. Clegg, M. R. J. Elsegood, S. J. Teat, C. Redshaw and V. C. Gibson.
J. Chem. Soc. Dalton Trans. 1998, 3037–3040.

111. Crystal structure of an azo dye rotaxane
S. Anderson, W. Clegg and H. L. Anderson.
Chem. Commun. 1998, 2379–2380.
112. An *in situ* microcrystal X-ray diffraction study of the synthetic aluminophosphate zeotypes DAF-1 and CoAPSO-44
G. Muncaster, G. Sankar, C. R. A. Catlow, J. M. Thomas, R. G. Bell, P. A. Wright, S. Coles, S. J. Teat, W. Clegg and W. Reeve.
Chem. Mater. 1999, **11**, 158–163.
113. An approach to *megaloboranes*. Mixed and multiple cluster fusions involving iridaborane and platinaborane cluster compounds. Crystal structure determinations by conventional and synchrotron methods.
J. Bould, W. Clegg, S. J. Teat, L. Barton, N. P. Rath, M. Thornton-Pett and J. D. Kennedy.
Inorg. Chim. Acta 1999, **289**, 95–124.
114. Two potential pyridine-borane oligomer and polymer building blocks. Structural characterisation of $[NC_5H_4.C_5H_4N.B_{10}H_{12}.NC_5H_4.C_5H_4N]$ and $[Me_2S.B_{10}H_{12}.NC_4H_4N.B_{10}H_{12}.SMe_2]$ by conventional and synchrotron X-ray methods
M. G. S. Londesborough, C. Price, M. Thornton-Pett, W. Clegg and J. D. Kennedy.
Inorg. Chem. Commun. 1999, **2**, 298–300.
115. Metallaborane reaction chemistry. Part 8. Phenylacetylene trimerisation by $[6,6,6-(PPh_3)_2H-nido-6-IrB_9H_{13}]$ and the structure of $[2-(\eta^6-C_6H_3Ph_3)-closo-2-IrB_9H_8-10-(PPh_3)]$ by synchrotron X-ray diffraction analysis
J. Bould, W. Clegg, T. R. Spalding and J. D. Kennedy.
Inorg. Chem. Commun. 1999, **2**, 315–318.
116. Macropolyhedral boron-containing cluster chemistry. Further progress beyond the icosahedron.
July 1999
J. Bould, D. L. Ormsby, H.-J. Yao, C.-H. Hu, J. Sun, R.-S. Jin, S. L. Shea, W. Clegg, T. Jelínek, N. P. Rath, M. Thornton-Pett, R. Greatrex, P.-J. Zheng, L. Barton, B. Štíbr and J. D. Kennedy.
Contemporary Boron Chemistry, edited by M. Davidson, A. K. Hughes, T. B. Marder and K. Wade, Royal Society of Chemistry, Cambridge, 2000, 171–174.
117. B-frame supported bimetallics. ‘Composite cluster’ compounds and the structures of $[2,7-(\eta^5-C_5Me_5)_2-nido-2,7,8,6-Ir_2CSB_6H_8]$ and its 9-chloro derivative. Synchrotron and conventional X-ray studies
P. A. Cooke, C. O’Dowd, M. G. S. Londesborough, J. Holub, B. Štíbr, M. Thornton-Pett, W. Clegg, S. J. Teat and J. D. Kennedy.
J. Organomet. Chem. 2000, **614–615**, 57–60.
118. Synthesis of fluorescent stilbene and tolan rotaxanes by Suzuki coupling
C. A. Stanier, M. J. O’Connell, W. Clegg and H. L. Anderson.
Chem. Commun. 2001, 493–494.
119. Synthesis and structural characterisation of $[Mo(NNPh_2)(NPh_2)(mesityl)_2(OC_6F_5)]$ and $\{[W(NNPh_2)(NPh_2)(OSiMe_3)]_2(\mu-Cl)_2(\mu-O)\}$: isodiazene complexes with bulky amide groups arising via N–N bond cleavage
C. Redshaw, W. Clegg and M. R. J. Elsegood.
Polyhedron 2001, **20**, 119–123.
120. Isomeric icosaboranes $B_{20}H_{26}$: the synchrotron structure of 1,1'-bis(*nido*-decaboranyl)
J. Bould, W. Clegg, J. D. Kennedy and S. J. Teat.
Acta Cryst. 2001, **C57**, 779–780.

121. Triple linking of the decaboranyl cluster. Structure of $[(SMe_2)_2B_{10}H_{10}(B_{10}H_{13})_2]$ as determined by synchrotron X-ray diffraction analysis
 J. Bould, U. Dörfler, W. Clegg, S. J. Teat, M. Thornton-Pett and J. D. Kennedy.
Chem. Commun. 2001, 1788–1789.
122. Making conjugated connections to porphyrins: a comparison of alkyne, alkene, imine and azo links
 T. E. O. Screen, I. M. Blake, L. H. Rees, W. Clegg, S. J. Borwick and H. L. Anderson.
J. Chem. Soc. Perkin Trans. 1 2002, 320–329.
123. Structural chemistry of *arachno*-nonaboranes
 J. Bould, R. Greatrex, J. D. Kennedy, D. L. Ormsby, M. G. S. Londenborough, K. L. F. Callaghan, M. Thornton-Pett, T. R. Spalding, S. J. Teat, W. Clegg, H. Fang, N. P. Rath and L. Barton.
J. Am. Chem. Soc. 2002, **124**, 7429–7439.
124. Monocarbaborane anion chemistry. The substantiation of the C-arylated $[PhCB_5H_6]^-$ seven-vertex *closo* cluster anion by single-crystal synchrotron X-ray diffraction analysis
 A. Franken, D. L. Ormsby, C. A. Kilner, W. Clegg, M. Thornton-Pett and J. D. Kennedy.
J. Chem. Soc. Dalton Trans. 2002, 2807–2808.
125. Macropolyhedral boron-containing cluster chemistry. Models for intermediates en route to globular and discoidal megaloborane assemblies. Structures of $[nido\text{-}B_{10}H_{12}(nido\text{-}B_5H_8)_2]$ and $[(CH_2CH_2C_5H_4N)\text{-}arachno\text{-}B_{10}H_{10}(NC_5H_4\text{-}closo\text{-}C_2B_{10}H_{10})]$ as determined by synchrotron X-ray diffraction analysis
 J. Bould, M. G. S. Londenborough, D. L. Ormsby, J. A. H. MacBride, K. Wade, C. A. Kilner, W. Clegg, S. J. Teat, M. Thornton-Pett, R. Greatrex and J. D. Kennedy.
J. Organomet. Chem. 2002, **657**, 256–261.
126. Complexes of heterocyclic thiones and group 12 metals: Part VI. Preparation and characterisation of complexes of cadmium(II) halides with 1-methylimidazoline-2(3H)-thione, 1,3-thiazolidine-2-thione and 1,3-benzothiazoline-2-thione. Crystal structures of polymeric (1,3-thiazolidine-2-thione)cadmium(II) chloride, bis(1,3-thiazolidine-2-thione)cadmium(II) iodide and monomeric bis(1-methylimidazoline-2(3H)-thione)cadmium(II) bromide
 N. A. Bell, W. Clegg, S. J. Coles, C. P. Constable, R. W. Harrington, M. B. Hursthouse, M. E. Light, E. S. Raper, C. Sammon and M. R. Walker.
Inorg. Chim. Acta 2004, **357**, 2091–2099.
127. Monocarbaborane anion chemistry. {COOH}, {CH₂OH} and {CHO} units as functional groups on ten-vertex monocarbaborane anionic compounds
 A. Franken, M. J. Carr, W. Clegg, C. A. Kilner and J. D. Kennedy.
Dalton Trans. 2004, 3552–3561.
128. Structural chemistry of halogenated monocarbaboranes: the extended structures of $Cs[1-HCB_9H_4Br_5]$, $Cs[1-HCB_{11}H_5Cl_6]$ and $Cs[1-HCB_{11}H_5Br_6]$
 A. Franken, N. J. Bullen, T. Jelínek, M. Thornton-Pett, S. J. Teat, W. Clegg, J. D. Kennedy and M. J. Hardie.
New. J. Chem. 2004, **28**, 1499–1505.
129. Synthesis and crystal structure of a push-pull quinoidal porphyrin: a nanoporous framework assembled from cyclic trimer aggregates
 M. J. Smith, W. Clegg, K. A. Nguyen, J. E. Rogers, R. Pachter, P. A. Fleitz and H. L. Anderson.
Chem. Commun. 2005, 2433–2435.
130. Polyhedral monocarbaborane chemistry. Reactions of the $[6\text{-}Ph\text{-}nido\text{-}6\text{-}CB_9H_{11}]^-$ anion with two-electron donors to yield a series of neutral *arachno* and *closo* ten-vertex monocarbaborane derivatives
 N. J. Bullen, A. Franken, C. A. Kilner, S. J. Teat, W. Clegg and J. D. Kennedy.
J. Organomet. Chem. 2005, **690**, 2815–2828.

131. Alkali-metal-mediated zincation of ferrocene: synthesis, structure, and reactivity of a lithium tmp/zincate reagent
 H. R. L. Barley, W. Clegg, S. H. Dale, E. Hevia, G. W. Honeyman, A. R. Kennedy and R. E. Mulvey.
Angew. Chem. Int. Ed. 2005, **44**, 6018–6021.
132. Two complexes of copper(II) salts with 5-amino-3-(pyrid-2-yl)-1*H*-pyrazole, the prototype for a new class of ditopic ligand
 C. M. Pask, K. D. Camm, N. J. Bullen, M. J. Carr, W. Clegg, C. A. Kilner and M. A. Halcrow.
Dalton Trans. 2006, 662–664.
133. Polyhedral iridaborane chemistry: elements of the ten-vertex *closo-isonido-isocloso* continuum.
 Molecular structures of $[(\text{PPh}_3)_2\text{HIrB}_9\text{H}_9(\text{PPh}_3)]$, $[(\text{PPh}_3)(\text{Ph}_2\text{PC}_6\text{H}_4)\text{IrB}_9\text{H}_7(\text{PPh}_3)]$, $[(\text{PPh}_3)(\text{Ph}_2\text{PC}_6\text{H}_4)\text{HIrB}_9\text{H}_7\text{Cl}(\text{PPh}_3)]$, $[(\text{PPh}_3)(\text{Ph}_2\text{PC}_6\text{H}_4)\text{HIrB}_9\text{H}_6(\text{PPh}_3)_2]$ and $[(\text{PPh}_3)(\text{Ph}_2\text{PC}_6\text{H}_4)\text{HIrB}_9\text{H}_{12}]$
 J. Bould, W. Clegg and J. D. Kennedy.
Inorg. Chim. Acta 2006, **359**, 3723–3735.
134. Solution, solid phase and computational structures of apicidin and its backbone-reduced analogs
 M. Kranz, P. J. Murray, S. Taylor, R. J. Upton, W. Clegg and M. R. J. Elsegood.
J. Peptide Sci. 2006, **12**, 383–388.
135. Macropolyhedral boron-containing cluster chemistry. Cluster opening and B-frame rearrangement in the reaction of $\text{B}_{16}\text{H}_{20}$ with $\{[(\text{IrCl}_2(\eta^5\text{-C}_5\text{Me}_5))_2]\}$. Synchrotron X-ray structures of $\{[(\eta^5\text{-C}_5\text{Me}_5)_2\text{Ir}_2\text{B}_{16}\text{H}_{17}\text{Cl}]\}$ and $\{[(\eta^5\text{-C}_5\text{Me}_5)_2\text{Ir}_2\text{B}_{16}\text{H}_{15}\text{Cl}]\}$
 M. J. Carr, S. D. Perera, T. Jelínek, C. A. Kilner, W. Clegg, B. Štíbr and J. D. Kennedy.
Dalton Trans. 2006, 5221–5224.
136. Polyhedral monocarbaborane chemistry. Some C-phenylated seven, eight, nine, ten, eleven and twelve-vertex species
 A. Franken, T. Jelínek, R. G. Taylor, D. L. Ormsby, C. A. Kilner, W. Clegg and J. D. Kennedy.
Dalton Trans. 2006, 5753–5769.
137. Macropolyhedral boron-containing cluster chemistry. The unique *nido*-five-vertex-< B_2 >-*nido*-ten-vertex *conjuncto* structure of $[(\eta^5\text{-C}_5\text{Me}_5)_2\text{Rh}_2\text{B}_{11}\text{H}_{15}]$ via an unexpected cluster-dismantling
 M. J. Carr, S. D. Perera, T. Jelínek, B. Štíbr, W. Clegg, C. A. Kilner and J. D. Kennedy.
138. Macropolyhedral boron-containing cluster chemistry. $[\text{S}_2\text{B}_{16}\text{H}_{17}]^-$, a new eighteen-vertex thiaboron anion
 M. J. Carr, W. Clegg, J. D. Kennedy, M. Londesborough and C. A. Kilner.
Coll. Czech. Chem. Commun. 2010, **75**, 807–812.
Chem. Commun. 2007, 3559–3561.
139. Nine-vertex metallaborane chemistry. Preparation and characterisation of $[1,1,1-(\text{PMe}_3)_2\text{H-}isocloso-\text{IrB}_8\text{H}_7\text{-8-X}]$, where X = H or Cl
 J. Bould, R. W. Harrington, W. Clegg and J. D. Kennedy.
J. Organomet. Chem. 2012, **721–722**, 155–163.
140. Isomeric and chemical consequences of the direct magnesiation of 1,3-benzoazoles using β -diketiminate-stabilized magnesium bases
 S. E. Baillie, V. L. Blair, T. D. Bradley, W. Clegg, J. Cowan, R. W. Harrington, A. Hernán-Gómez, A. R. Kennedy, Z. Livingstone and E. Hevia.
 Chem. Sci.* 2013, **4, 1895–1905.

141. Ditopic bis-terdentate cyclometallating ligands and their highly luminescent dinuclear iridium(III) complexes
P.-H. Lanoë, C. M. Tong, R. W. Harrington, M. R. Probert, W. Clegg, J. A. G. Williams and V. N. Kozhevnikov.
Chem. Commun.* 2014, **50, 6831–6834.
142. Two alternative approaches to access mixed hydride-amido zinc complexes: synthetic, structural and solution implications
A. J. Roberts, W. Clegg, A. R. Kennedy, M. R. Probert, S. D. Robertson and E. Hevia
Dalton Trans.* 2015, **44, 8169–8177.
143. Assessing the reactivity of sodium alkyl-magnesiates towards quinaxoline: single electron transfer (SET) vs. nucleophilic alkylation processes
Z. Livingstone, A. Hernández-Gómez, S. E. Baillie, D. R. Armstrong, L. M. Carella, W. Clegg, R. W. Harrington, A. R. Kennedy, E. Rentschler and E. Hevia.
Dalton Trans.* 2016, **45, 6175–6182.
144. When two are better than one: bright phosphorescence from non-stereogenic dinuclear iridium(III) complexes
R. E. Daniels, S. Culham, M. Hunter, M. C. Durrant, M. R. Probert, W. Clegg, J. A. G. Williams and V. N. Kozhevnikov.
Dalton Trans.* 2016, **45, 6949–6962.
145. Structural and mechanistic insights into s-block bimetallic catalysis: sodium magnesiate-catalyzed guanylation of amines
M. De Tullio, A. Hernán-Gómez, Z. Livingstone, W. Clegg, A. R. Kennedy, R. W. Harrington, A. Antiñolo, A. Martínez, F. Carrillo-Hermosilla and E. Hevia.
Chem. Eur. J.* 2016, **22, 17646–17656.
146. Regioselective magnesiation of N-heterocyclic molecules: securing insecure cyclic anions by a β -diketiminato-magnesium clamp
L. Davin, R. McLellan, A. Hernán-Gómez, W. Clegg, A. R. Kennedy, M. Mertens, I. Stepek and E. Hevia.
Chem. Commun.* 2017, **53, 3653–3656.
147. Utilising sodium-mediated ferration for regioselective functionalisation of fluoroarenes via C–H and C–F bond activations
L. C. H. Maddock, T. Nixon, A. R. Kennedy, M. R. Probert, W. Clegg and E. Hevia.
Angew. Chem. Int. Ed.* 2018, **57, 187–191.
148. Substitution of the laser borane *anti*-B₁₈H₂₂ with pyridine: a structural and photophysical study of some unusually structured macropolyhedral boron hydrides
M. G. S. Londenborough, J. Dolanský, T. Jelínek, J. D. Kennedy, I. Cisařová, R. D. Kennedy, D. Roca-Sanjuán, A. Francés-Monerris, K. Lang and W. Clegg.
Dalton Trans. 2018, **47**, 1709–1725.
149. Push–pull quinoidal porphyrins
M. J. Smith, I. M. Blake, W. Clegg and H. L. Anderson.
Org. Biomol. Chem. 2018, **16**, 3648–3654.
150. Structural and synthetic insights into pyridine homocouplings mediated by a β -diketiminato magnesium amide complex
L. Davin, W. Clegg, A. R. Kennedy, M. R. Probert, R. McLellan and E. Hevia.
Chem. Eur. J.* 2018, **24, 14830–14835.

151. A regioselectively 1,1',3,3'-tetrazincated ferrocene complex displaying core and peripheral reactivity
G. W. Honeyman, D. R. Armstrong, W. Clegg, E. Hevia, A. R. Kennedy, R. McLellan, S. A. Orr,
J. A. Parkinson, D. L. Ramsay, S. D. Robertson, S. Towie and R. E. Mulvey.
Chem. Sci. 2020, **11**, 6510–6520.
152. Macropolyhedral chalcogenaboranes: insertion of selenium into the isomers of $B_{18}H_{22}$
J. Bould, M. G. S. Londesborough, M. Litecká, R. Macías, S. L. Shea, T. D. McGrath, W. Clegg and J. D.
Kennedy.
Inorg. Chem. 2022, **61**, 1899–1917.
-

International research collaborations

153. Extending knowledge on the nucleophilicity of the $\{Pt_2S_2\}$ core: $Ph_2PCH_2CH_2PPh_2$ as an alternative terminal ligand in $[L_2Pt(\mu-S)_2PtL_2]$ metalloligands
M. Capdevila, Y. Carrasco, W. Clegg, R. A. Coxall, P. González-Duarte, A. Lledós and J. A. Ramírez
J. Chem. Soc. Dalton Trans. 1999, 3103–3113.
154. Unusual C–H allylic activation in the $\{Pt^{II}(cod)\}$ fragment bonded to a $\{Pt_2(\mu-S)_2\}$ core
R. Mas-Ballesté, P. A. Champkin, W. Clegg, P. González-Duarte, A. Lledós and G. Ujaque.
Organometallics 2004, **23**, 2522–2532.
155. Crystal structure of N,N' -bis(4-trifluoromethoxybenzylidene)ethylenediamine
M. H. Habibi, M. Montazerozohori, K. Barati, R. W. Harrington and W. Clegg.
Anal. Sci. 2007, **23**, x47–x48.
156. N,N' -Bis(2-nitrocinnamaldehyde)ethylenediaminedichlorozinc(II)
M. H. Habibi, M. Montazerozohori, A. Lalegani, R. W. Harrington and W. Clegg.
Anal. Sci. 2007, **23**, x51–x52.
157. N,N' -Bis(2-nitrocinnamaldehyde)ethylenediaminedichlorozinc(II)
M. H. Habibi, M. Montazerozohori, A. Lalegani, R. W. Harrington and W. Clegg.
Anal. Sci. 2007, **23**, x51–x52.
158. Crystal structure of N,N' -bis(2-chlorobenzylidene)ethylenediamine
M. H. Habibi, M. Montazerozohori, K. Barati, R. W. Harrington, W. Clegg and J.-H. Choi.
Anal. Sci. 2007, **23**, x117–x118.
159. Bis[N,N' -(2-chlorobenzylidene)ethylenediamine- κ^2N,N']copper(I) dichloridocuprate(I) acetonitrile solvate
M. H. Habibi, M. Montazerozohori, K. Barati, R. W. Harrington and W. Clegg.
Acta Cryst. 2007, **C63**, m592–m594.
160. Metal-to-ligand ratio as a design factor in the one-pot synthesis of coordination polymers with $[MS_4Cu_n]$
($M = W$ or Mo , $n = 3$ or 5) cluster nodes and a flexible pyrazole-based bridging ligand
A. Beheshti, W. Clegg, V. Nobakht and R. W. Harrington.
Cryst. Growth Des.* 2013, **13, 1023–1032.
161. 5,5-Dimethyl-2,8-diphenyl-5*H*-dibenzo[*b,f*]silepin: a synchrotron study
W. Clegg, R. W. Harrington, L. G. Mercier and W. E. Piers.
Acta Cryst.* 2013, **C69, 436–438.
162. Benzo[*b*]thiophene-fused boron and silicon ladder acenes
L. G. Mercier, W. E. Piers, R. W. Harrington and W. Clegg.
Organometallics* 2013, **32, 6820–6826.

163. Synthesis, characterization and crystal structures of the bidentate Schiff base *N,N'*-bis(2-nitrocinnamaldehyde)ethylenediamine and its complex with CuNCS and triphenylphosphane
W. Clegg, R. W. Harrington, K. Barati, M. H. Habibi, M. Montazerozohori and A. Lalegani.
Acta Cryst. 2015, **C71**, 578–583.
164. Macropolyhedral nickelaboranes from the metal-assisted fusion of KB₉H₁₄
M. G. S. Londesborough, R. Macías, J. D. Kennedy, W. Clegg and J. Bould.
Inorg. Chem.* 2019, **58, 13258–13267.
165. A series of ultra-efficient blue borane fluorophores
J. Bould, K. Lang, K. Kirakci, L. Cerdán, D. Roca-Sanjuán, A. Francés-Monerris, W. Clegg,
P. G. Waddell, M. Fuciman, T. Polívka and M. G. S. Londesborough.
Inorg. Chem.* 2020, **59, 17058–17070.

Other UK research groups and National Crystallography Service users

166. Neutral [2]catenanes from oxidative coupling of π -stacked components
D. G. Hamilton, J. K. M. Sanders, J. E. Davies, W. Clegg and S. J. Teat.
Chem. Commun. 1997, 897–898.
167. Organically templated layered uranium(VI) phosphates: hydrothermal syntheses and structures of [NH₂Et₃][(UO₂)₂(PO₄)(HPO₄)] and [NPr₄][(UO₂)₃(PO₄)(HPO₄)₂]
R. J. Francis, M. J. Drewitt, P. S. Halasyamani, C. Ranganathachar, D. O'Hare, W. Clegg and S. J. Teat.
Chem. Commun. 1998, 279–280.
168. Tandem hetero-catenation: templating and self-assembly in the mutual closure of two different interlocking rings
D. G. Hamilton, N. Feeder, L. Prodi, S. J. Teat, W. Clegg and J. K. M. Sanders.
J. Am. Chem. Soc. 1998, **120**, 1096–1097.
169. A highly π -stacked organic semiconductor for thin film transistors based on fused thiophenes
X.-C. Li, H. Sirringhaus, F. Garnier, A. B. Holmes, S. C. Moratti, N. Feeder, W. Clegg, S. J. Teat and R. H. Friend.
J. Am. Chem. Soc. 1998, **120**, 2206–2207.
170. Alkaline earth diazapentadienyl compounds: structure of [Ba₂{(C₆H₁₁)NC(Me)CHC(Me)N(C₆H₁₁)}₃{(SiMe₃)₂N}]
W. Clegg, S. J. Coles, E. K. Cope and F. S. Mair.
Angew. Chem. Int. Ed. 1998, **37**, 796–798.
171. 4-Cyano-4'-(4*R*)-4,5-epoxypentyloxy)biphenyl: a pseudosymmetry problem solved with synchrotron data
W. Clegg, S. J. Coles, I. A. Fallis, P. M. Griffiths and S. J. Teat.
Acta Cryst. 1998, **C54**, 882–885.
172. Response to steric constraint in azacryptate and related complexes of iron-(II) and -(III)
F. A. Deeney, C. J. Harding, G. G. Morgan, V. McKee, J. Nelson, S. J. Teat and W. Clegg.
J. Chem. Soc. Dalton Trans. 1998, 1837–1843.
173. Nanoscale cages of manganese and nickel with “rock salt” cores
E. K. Brechin, W. Clegg, M. Murrie, S. Parsons, S. J. Teat and R. E. P. Winpenny.
J. Am. Chem. Soc. 1998, **120**, 7365–7366.

174. SSZ-23: an odd zeolite with pore openings of seven and nine tetrahedral atoms
M. A. Camblor, M.-J. Díaz-Cabañas, J. Perez-Pariente, S. J. Teat, W. Clegg, I. J. Shannon, P. Lightfoot,
P. A. Wright and R. E. Morris.
Angew. Chem. Int. Ed. 1998, **37**, 2122–2126.
175. Synthesis of $\text{Rb}_3\text{Sc}_2(\text{AsO}_4)_3$ and its structure determination by synchrotron single crystal methods
W. T. A. Harrison, M. L. F. Phillips, W. Clegg and S. J. Teat.
J. Solid State Chem. 1998, **139**, 299–303.
176. Unusual carbonyl and pentamethylcyclopentadienyl bonding modes in mixed rhodium-ruthenium clusters
W. Clegg, N. Feeder, S. Nahar, P. R. Raithby, G. P. Shields and S. J. Teat.
New. J. Chem. 1998, 1111–1117.
177. An oxidatively coupled dimer of paracetamol
W. Clegg, S. J. Teat, K. V. R. Prasad, R. I. Ristic, D. B. Sheen, E. A. Shepherd, J. N. Sherwood
and R. M. Vrcelj.
Acta Cryst. 1998, **C54**, 1881–1882.
178. Metallo-based cyclophanes and [2]catenanes. Towards molecular-scale functional assemblies
A. C. Benniston, P. R. Mackie, L. J. Farrugia, S. Parsons, W. Clegg and S. J. Teat.
Platinum Metals Rev. 1998, **42**, 100–105.
179. Kinetically inert cryptate systems: solid state and solution NMR studies
D. C. Apperley, W. Clegg, S. Coles, J. L. Coyle, N. Martin, B. Maubert, V. McKee and J. Nelson.
J. Chem. Soc. Dalton Trans. 1999, 229–236.
180. An insight into ion-transport by calixarenes; the structure of the dipotassium complex of
p-*tert*-butylcalix[8]arene crystallised from a protogenic, coordinating solvent
[ethanol/diethylcarbonate (10:1)]
N. P. Clague, W. Clegg, S. J. Coles, J. D. Crane, D. J. Moreton, E. Sinn, S. J. Teat and N. A. Young.
Chem. Commun. 1999, 379–380.
181. The molecular structure and one-pot synthesis of $[\text{Li}(\text{thf})_3 \cdot \text{Sn}(\text{SiMe}_3)_3]$
C. J. Cardin, D. J. Cardin, W. Clegg, S. J. Coles, S. P. Constantine, J. R. Rowe and S. J. Teat.
J. Organomet. Chem. 1999, **573**, 96–100.
182. Cluster build-up reactions via the ionic coupling of tetraosmium anions and the $[\text{RhCp}^*(\text{NCMe})_3]^{2+}$
cation; the crystal and molecular structures of $[\text{Os}_4\text{Rh}(\mu\text{-H})_3(\text{MeC=NH})(\text{CO})_{11}(\eta^5\text{-Cp}^*)]$,
 $[\text{Os}_4\text{Rh}(\mu\text{-H})_2(\text{CO})_{13}(\eta^5\text{-Cp}^*)]$ and $[\text{Os}_4\text{Rh}_2(\mu\text{-H})_2(\text{CO})_{11}(\eta^5\text{-Cp}^*)_2]$ ($\text{Cp}^* = \text{C}_5\text{Me}_5$)
W. Clegg, N. Feeder, A. M. M. Castro, S. Nahar, P. R. Raithby, G. P. Shields and S. J. Teat.
J. Organomet. Chem. 1999, **573**, 237–246.
183. “Smart” rotaxanes: shape memory and control in tertiary amide peptido[2]rotaxanes
W. Clegg, C. Gimenez-Saiz, D. A. Leigh, A. Murphy, A. M. Z. Slawin and S. J. Teat.
J. Am. Chem. Soc. 1999, **121**, 4124–4129.
184. Preparation of [1,2,4]triazoloquinazolinium betaines and molecular rearrangements of putative
[1,2,4]triazolo[4,3-*a*][1,3,5]triazinium betaines
D. L. Crabb, K. J. McCullough, P. N. Preston, G. M. Rosair, B. C. Bishop, S. H. B. Wright, W. Clegg
and S. Coles.
J. Chem. Soc. Perkin Trans. 1 1999, 1517–1525.
185. $(\text{CN}_3\text{H}_6)_2 \cdot \text{Zn}_4\text{H}_5(\text{PO}_4)_5$, a new layered guanidinium zinc phosphate built up from 3-, 4-, and 8-ring units
W. T. A. Harrison, M. L. F. Phillips, W. Clegg and S. J. Teat.
J. Solid State Chem. 1999, **148**, 433–437.

186. Properties and single-crystal X-ray structure of bis[3,3''-bis(4-methylphenyl)-2,2':6',2''-terpyridine]iron(II) hexafluorophosphate–acetonitrile–diisopropyl ether (1/1.5/1)
A. C. Benniston, L. J. Farrugia, P. R. Mackie, P. Mallinson, W. Clegg and S. J. Teat.
Aust. J. Chem. 2000, **53**, 707–713.
187. The oxidative rearrangement of furan-2-carboximidamides: preparation and properties of 2-acylaminofurans
M. Bobošiková, W. Clegg, S. J. Coles, M. Dandzárová, M. B. Hursthouse, T. Kiss, A. Krutošiková, T. Liptaj, N. Prónayová and C. A. Ramsden.
J. Chem. Soc. Perkin Trans. 1 2001, 680–689.
188. Metal-assisted reactions. Part 29. Structure and hydrogenolysis of C–N bonds in derivatives of aromatic amines. Bond length and electronegativity changes from X-ray crystallographic data
A. F. Brigas, W. Clegg, C. J. Dillon, C. F. C. Fonseca and R. A. W. Johnstone.
J. Chem. Soc. Perkin Trans. 2 2001, 1315–1324.
189. A high yielding route to substituted piperidines via the aza-Diels-Alder reaction
P. D. Bailey, P. D. Smith, F. Pederson, W. Clegg, G. M. Rosair and S. J. Teat.
Tetrahedron Lett. 2002, **43**, 1067–1070.
190. Self-assembly of a spin-coupled octanuclear copper(II) circular array from a single-stranded ligand
S. T. Onions, S. L. Heath, D. J. Price, R. W. Harrington, W. Clegg and C. J. Matthews.
Angew. Chem. Int. Ed. 2004, **43**, 1814–1817.
191. The synthesis, structure and ethene polymerisation catalysis of mono(salicylaldiminato) titanium and zirconium complexes
D. A. Pennington, W. Clegg, S. J. Coles, R. W. Harrington, M. B. Hursthouse, D. L. Hughes, M. E. Light, M. Schormann, M. Bochmann and S. J. Lancaster.
Dalton Trans. 2005, 561–571.
192. New titanium and zirconium complexes with M–NH₂ bonds formed by facile deprotonation of H₃N·B(C₆F₅)₃
A. J. Mountford, W. Clegg, R. W. Harrington, S. M. Humphrey and S. J. Lancaster.
Chem. Commun. 2005, 2044–2046.
193. Incorporation of fused tetrathiafulvalenes (TTFs) into polythiophene architectures: varying the electroactive dominance of the TTF species in hybrid systems
R. Berridge, P. J. Skabara, C. Pozo-Gonzalo, A. Kanibolotsky, J. Lohr, J. J. W. McDouall, E. J. L. McInnes, J. Wolowska, C. Winder, S. N. Sariciftci, R. W. Harrington and W. Clegg.
J. Phys. Chem. B 2006, **110**, 3140–3152.
194. The synthesis, structure and ethene polymerization activity of octahedral heteroligated (salicylaldiminato)(β-enaminoketonato)titanium complexes. The X-ray crystal structure of {3-Bu^t-2-(O)C₆H₃CHN(C₆H₅)} {(C₆H₅)NC(CH₃)C(H)C(CH₃)O}TiCl₂
D. A. Pennington, R. W. Harrington, W. Clegg, M. Bochmann and S. J. Lancaster.
J. Organomet. Chem. 2006, **691**, 3183–3188.
195. Cationic terminal borylene complexes: interconversion of amino and alkoxy borylenes by an unprecedented Meerwein-Ponndorf hydride transfer
D. L. Kays, J. K. Day, S. Aldridge, R. W. Harrington and W. Clegg.
Angew. Chem. Int. Ed. 2006, **45**, 3513–3516.
196. A stable oxoverdazyl free radical: structural and magnetic characterization
M. J. Plater, S. Kemp, E. Corondao, C. J. Gómez-García, R. W. Harrington and W. Clegg.
Polyhedron 2006, **25**, 2433–2438.

197. Complexes of Ag(I), Hg(I) and Hg(II) with multidentate pyrazolyl-pyridine ligands: from mononuclear complexes to coordination polymers *via* helicates, a mesocate, a cage and a catenate
S. P. Argent, H. Adams, T. Riis-Johannessen, J. C. Jeffery, L. P. Harding, W. Clegg, R. W. Harrington and M. D. Ward.
Dalton Trans. 2006, 4996–5013.
198. Luminescent Pt^{II}(bipyridyl)(diacetylide) chromophores with pendant binding sites as energy donors for sensitised near-infrared emission from lanthanides: structures and photophysics of Pt^{II}/Ln^{III}) assemblies
T. K. Ronson, T. Lazarides, H. Adams, S. J. A. Pope, D. Sykes, S. Faulkner, S. J. Coles, M. B. Hursthouse, W. Clegg, R. W. Harrington and M. D. Ward.
Chem. Eur. J. 2006, **12**, 9299–9313.
199. Electrochromic properties of a fast switching, dual colour polythiophene bearing non-planar dithiinoquinoxaline units
R. Berridge, S. P. Wright, P. J. Skabara, A. Dyer, T. Steckler, A. A. Argun, J. Reynolds, R. W. Harrington and W. Clegg.
J. Mater. Chem. 2007, **17**, 225–231.
200. The synthesis, structure and reactivity of B(C₆F₅)₃-stabilised amide (M–NH₂) complexes of the group 4 metals
A. J. Mountford, W. Clegg, S. J. Coles, R. W. Harrington, P. N. Horton, S. M. Humphrey, M. B. Hursthouse, J. A. Wright and S. J. Lancaster.
Chem. Eur. J. 2007, **13**, 4535–4547.
201. Synthesis and structures of cadmium(II) complexes of a series of multinucleating N/S donor ligands
T. K. Ronson, H. Adams, L. P. Harding, R. W. Harrington, W. Clegg and M. D. Ward.
Polyhedron 2007, **26**, 2777–2785.
202. Multi-layered molecular charge-transfer salts containing alkali metal ions
L. Martin, P. Day, W. Clegg, R. W. Harrington, P. N. Horton, A. Bingham, M. B. Hursthouse, P. McMillan and S. Firth.
J. Mater. Chem. 2007, **17**, 3324–3329.
203. Mixed-ligand iminopyrrolato-salicylaldiminato group 4 metal complexes: optimising catalyst structure for ethylene/propylene copolymerisations
L. M. Broomfield, Y. Sarazin, J. A. Wright, D. L. Hughes, W. Clegg, R. W. Harrington and M. Bochmann.
J. Organomet. Chem. 2007, **692**, 4603–4611.
204. Metallic molecular crystals containing chiral or racemic guest molecules
L. Martin, P. Day, H. Akutsu, J. Yamada, S. Nakatsuji, W. Clegg, R. W. Harrington, P. N. Horton, M. B. Hursthouse, P. McMillan and S. Firth.
CrystEngComm 2007, **9**, 865–867.
205. Supramolecular assemblies of tripodal porphyrin hosts and C₆₀
L. H. Tong, J.-L. Wietor, W. Clegg, P. R. Raithby, S. I. Pascu and J. K. M. Sanders.
Chem. Eur. J. 2008, **14**, 3035–3044.
206. A group 13/group 17 analogue of CO and N₂: coordinative trapping of the GaI molecule
N. D. Coombs, W. Clegg, A. L. Thompson, D. J. Willock and S. Aldridge.
J. Am. Chem. Soc. 2008, **130**, 5449–5451.

207. Applying hot-stage microscopy to co-crystal screening: a study of nicotinamide with seven active pharmaceutical ingredients
D. J. Berry, C. C. Seaton, W. Clegg, R. W. Harrington, S. J. Coles, P. N. Horton, R. Storey, W. Jones, T. Friščič and N. Blagden.
Cryst. Growth Des. 2008, **8**, 1697–1712.
208. Novel dithiolene complexes incorporating conjugated electroactive ligands
P. J. Skabara, C. Pozo-Gonzalo, N. L. Miazza, M. Laguna, E. Cerrada, A. Luquin, B. González, S. J. Coles, M. B. Hursthouse, R. W. Harrington and W. Clegg.
Dalton Trans. 2008, 3070–3079.
209. Octanuclear cubic coordination cages
I. S. Tidmarsh, T. B. Faust, H. Adams, L. P. Harding, W. Clegg, L. Russo and M. D. Ward.
J. Am. Chem. Soc. 2008, **130**, 15167–15175.
210. Chemoenzymatic synthesis of chiral 4,4'-bipyridyls and their metal-organic frameworks
L. Sbircea, N. D. Sharma, W. Clegg, R. W. Harrington, P. N. Horton, M. B. Hursthouse, D. C. Apperley, D. R. Boyd and S. L. James.
Chem. Commun. 2008, 5538–5540.
211. Mononuclear Ti≡N complexes formed by the facile multiple deprotonation of $\text{H}_3\text{N}\cdot\text{B}(\text{C}_6\text{F}_5)_3$: the importance of chloride ligands
A.-M. Fuller, W. Clegg, R. W. Harrington, D. L. Hughes and S. J. Lancaster.
Chem. Commun. 2008, 5776–5778.
212. Cationic terminal gallylene complexes by halide abstraction: coordination chemistry of a valence isoelectronic analogue of CO and N_2
N. D. Coombs, D. Vidovic, J. K. Day, A. L. Thompson, D. D. Le Pevelen, A. Stasch, W. Clegg, L. Russo, L. Male, M. B. Hursthouse, D. J. Willock and S. Aldridge.
J. Am. Chem. Soc. 2008, **130**, 16111–16124.
213. Further investigations into tetrahedral M_4L_6 cage complexes containing guest anions: new structures and NMR spectroscopic studies
I. S. Tidmarsh, B. F. Taylor, M. J. Hardie, L. Russo, W. Clegg and M. D. Ward.
New. J. Chem. 2009, **33**, 366–375.
214. Synthesis of copper(I) complexes of N-heterocyclic carbene–phenoxyimine/amine ligands: structures of mononuclear copper(II), mixed-valence copper(I)/(II), and copper(II) cluster complexes
S. Simonovic, A. C. Whitwood, W. Clegg, R. W. Harrington, M. B. Hursthouse, L. Male and R. E. Douthwaite.
Eur. J. Inorg. Chem. 2009, 1786–1795.
215. Electrochemical, spectroelectrochemical, and comparative studies of novel organic conjugated monomers and polymers featuring the redox-active unit tetrathianaphthalene
J. C. Forgie, A. L. Kanibolotsky, P. J. Skabara, S. J. Coles, M. B. Hursthouse, R. W. Harrington and W. Clegg.
Macromolecules 2009, **42**, 2570–2580.
216. The highly regiospecific synthesis and crystal structure determination of 1,1'-2,5' substituted ring-locked ferrocenes
A. Connell, P. J. Holliman, I. R. Butler, L. Male, S. J. Coles, P. N. Horton, M. B. Hursthouse, W. Clegg and L. Russo.
J. Organomet. Chem. 2009, **694**, 2020–2028.

217. Pyridine and benzonitrile adducts of bis(4-nonafluorobiphenyl)zinc
E. Martin, W. Clegg, R. W. Harrington, D. L. Hughes, M. B. Hursthouse, L. Male and S. J. Lancaster.
Polyhedron* 2010, **29, 405–413.
218. Expanded-ring and backbone-functionalised N-heterocyclic carbenes
M. Iglesias, D. J. Beetstra, K. J. Cavell, A. Dervisi, I. A. Fallis, B. Kariuki, R. W. Harrington, W. Clegg,
P. N. Horton, S. J. Coles and M. B. Hursthouse.
**Eur. J. Inorg. Chem.* 2010, 1604–1607.
219. Synthesis and electropolymerization of hexadecyl functionalized bithiophene and thieno[3,2-*b*]thiophene end-capped with EDOT and EDTT units
G. J. McEntee, P. J. Skabara, F. Vilela, S. Tierney, I. D. W. Samuel, S. Gambino, S. J. Coles,
M. B. Hursthouse, R. W. Harrington and W. Clegg.
Chem. Mater.* 2010, **22, 3000–3008.
220. Synthesis and structure of pillared molybdates and tungstates with framework layers
J. L. Nicholls, S. E. Hulse, S. K. Callear, G. J. Tizzard, R. A. Stephenson, M. B. Hursthouse, W. Clegg,
R. W. Harrington and A. M. Fogg.
Inorg. Chem.* 2010, **49, 8545–8551.
221. New chiral organosulfur donors related to bis(ethylenedithio)tetrathiafulvalene
S. Yang, A. C. Brooks, L. Martin, P. Day, M. Pilkington, W. Clegg, R. W. Harrington, L. Russo
and J. D. Wallis.
Tetrahedron* 2010, **66, 6977–6989.
222. Yb₃O(OH)₆Cl·2H₂O: an anion-exchangeable hydroxide with a cationic inorganic framework structure
H. V. Goulding, S. E. Hulse, W. Clegg, R. W. Harrington, H. Y. Playford, R. I. Walton and A. M. Fogg.
J. Am. Chem. Soc.* 2010, **132, 13618–13620.
223. (Z)-3-Chloromethylidene-5,6-dimethoxy-2-methyl-2,3-dihydro-1,2-benzothiazole 1,1-dioxide
J. P. Bassin, V. P. Shah, L. Martin, W. Clegg and R. W. Harrington.
Acta Cryst. 2011, **E67**, o12.
224. Self-assembly and charge transport properties of a benzobisthiazole end-capped with dihexyl thiophene units
G. J. McEntee, F. Vilela, P. J. Skabara, T. D. Anthopoulos, J. G. Labram, S. Tierney, R. W. Harrington
and W. Clegg.
J. Mater. Chem.* 2011, **21, 2091–2097.
225. Unusual hybrid materials prepared by the oxidation of a ketone
D. L. Holden, H. V. Goulding, J. Bacsa, N. G. Berry, N. Greeves, R. A. Stephenson, R. W. Harrington,
W. Clegg and A. M. Fogg.
Cryst. Growth Des.* 2011, **11, 3013–3019.
226. Synthesis of a (piperazine-1-ylmethyl)biaryl library via microwave-mediated Suzuki-Miyaura cross-couplings
J. Spencer, C. B. Baltus, N. J. Press, R. W. Harrington and W. Clegg.
Tetrahedron Lett.* 2011, **52, 3963–3968.
227. Complexes of aryl-substituted porphyrins and naphthalenediimide (NDI): investigations by synchrotron X-ray diffraction and NMR spectroscopy
L. H. Tong, P. Pengo, W. Clegg, J. P. Lowe, P. R. Raithby, J. K. M. Sanders and S. I. Pascu.
Dalton Trans. 2011, **40**, 10833–10842.
228. Selective formation of a polar incomplete coordination cage induced by remote ligand substituents
N. Giri, W. Clegg, R. W. Harrington, P. N. Horton, M. B. Hursthouse and S. L. James.
Chem. Commun. 2012, **48**, 4061–4063.

229. Ultra-fast co-sensitization and tri-sensitization of dye-sensitized solar cells with N719, SQ1 and triarylamine dyes
P. J. Holliman, M. Mohsen, A. Connell, M. L. Davies, K. Al-Salihi, M. B. Pitak, G. J. Tizzard, S. J. Coles, R. W. Harrington, W. Clegg, C. Serpa, O. H. Fontes, C. Charbonneau and M. J. Carnie.
J. Mater. Chem.* 2012, **22, 13318–13327.
230. Chiral Ag(I) and Pt(II) complexes of ditopic NHC ligands: synthesis, structural and spectroscopic properties
P. Marshall, R. L. Jenkins, W. Clegg, R. W. Harrington, S. K. Callear, S. J. Coles, I. A. Fallis and A. Dervisi.
Dalton Trans.* 2012, **41, 12839–12846.
231. X-ray crystal structures, packing behavior, and thermal stability studies of a homologous series of *n*-alkyl-substituted polyhedral oligomeric silsesquioxanes
Y. El Aziz, A. R. Bassindale, P. G. Taylor, R. A. Stephenson, M. B. Hursthouse, R. W. Harrington and W. Clegg.
Macromolecules 2013, **46**, 988–1001.
232. Synthesis and hydrolysis–condensation study of water-soluble self-assembled pentacoordinate polysilylamides
M. Sohail, A. R. Bassindale, P. G. Taylor, A. A. Korlyukov, D. E. Arkhipov, L. Male, S. J. Coles, M. B. Hursthouse, R. W. Harrington and W. Clegg.
Organometallics* 2013, **32, 1721–1731 and 2874.
233. Pentacoordinate silicon complexes with dynamic motion resembling a pendulum on the S_N2 reaction pathway
M. Sohail, R. Panisch, A. Bowden, A. R. Bassindale, P. G. Taylor, A. A. Korlyukov, D. E. Arkhipov, L. Male, S. Callear, S. J. Coles, M. B. Hursthouse, R. W. Harrington and W. Clegg.
Dalton Trans.* 2013, **42, 10971–10981.
234. Chiral radical-cation salts of BEDT-TTF containing a single enantiomer of tris(oxalato)aluminate(III) and -chromate(III)
L. Martin, H. Akutsu, P. N. Horton, M. B. Hursthouse, R. W. Harrington and W. Clegg.
Eur. J. Inorg. Chem. 2015, 1865–1870.
235. New crystal packing arrangements in radical cation salts of BEDT-TTF with [Cr(NCS)₆]³⁻ and [Cr(NCS)₅(NH₃)]²⁺
A. C. Brooks, L. Martin, P. Day, W. Clegg, R. W. Harrington and J. D. Wallis.
Polyhedron 2015, **102**, 75–81.
236. Contrasting crystal packing arrangements in triiodide salts of radical cations of chiral bis(pyrrolo[3,4-*d*])tetraphiafulvalenes
L. Martin, S. Yang, A. C. Brooks, P. N. Horton, L. Male, O. Moulfi, L. Harmand, P. Day, W. Clegg, R. W. Harrington and J. D. Wallis.
CrystEngComm* 2015, **17, 7354–7362.
237. Ferrocenylmethylphosphanes and the Alpha process for methoxycarbonylation: the original story
K. M. Fortune, C. Castel, C. M. Robertson, P. N. Horton, M. E. Light, S. J. Coles, M. Waugh, W. Clegg, R. W. Harrington and I. R. Butler.
Inorganics 2021, **9**, 57.

Other publications from NEXT BAG

238. A simple chemical model for clathrate hydrate inhibition by polyvinylcaprolactam
J. R. Davenport, O. M. Musa, M. J. Paterson, M.-O. M. Piepenbrock, K. Fucke and J. W. Steed.
Chem. Commun.* 2011, **47, 9891–9893.
239. Crossing the insulator-to-metal barrier with a thiazyl radical conductor
A. Mailman, S. M. Winter, X. Yu, C. M. Robertson, W. Yong, J. S. Tse, R. A. Secco, Z. Liu, P. A. Dube,
J. A. K. Howard and R. T. Oakley.
J. Am. Chem. Soc.* 2012, **134, 9886–9889.
240. Small molecule, high impact: the role of water in the crystallization of paclitaxel
L Vella-Zarb, U. Baisch and R E. Dinnebier.
J. Pharm. Sci.* 2012, **102, 674–683.
241. The formation of peroxide degradation products of photochromic triphenylimidazolyl radical-dimers
R. M. Edkins, M. R. Probert, K. Fucke, C. M. Robertson, J. A. K. Howard and A. Beeby.
Phys. Chem. Chem. Phys.* 2013, **15, 7848–7853.
242. The devil is in the detail? A rare H-bonding motif in new forms of docetaxel
L. Vella-Zarb, R. E. Dinnebier and U. Baisch.
Cryst. Growth Des.* 2013, **13, 4402–4410.
243. Oligo(aryleneethynylene)s with terminal pyridyl groups: synthesis and length dependence of the
tunneling-to-hopping transition of single-molecule conductances
X. Zhao, C. Huang, M. Gulcur, A. S. Batsanov, M. Baghernejad, W. Hong, M. R. Bryce and
T. Wandlowski.
Chem. Mater.* 2013, **25, 4340–4347.
244. Blending gelators to tune gel structure and probe anion-induced disassembly
J. A. Foster, R. Edkins, G. J. Cameron, N. Colgin, K. Fucke, S. Ridgeway, A. G. Crawford, T. B. Marder,
A. Beeby, S. L. Cobb and J. W. Steed.
Chem. Eur. J.* 2014, **20, 279–291.
245. Utility of tris(4-bromopyridyl) europium complexes as versatile intermediates in the divergent synthesis
of emissive chiral probes
S. J. Butler, M. Delbianco, N. H. Evans, A. T. Frawley, R. Pal, D. Parker, R. S. Puckrin and D. S. Yufit.
Dalton Trans.* 2014, **43, 5721–5730.
246. Combined spectroscopic and quantum chemical study of [*trans*-Ru(C≡CC₆H₄R¹-4)₂(dppe)₂]ⁿ⁺ and
[*trans*-Ru(C≡CC₆H₄R¹-4)(C≡CC₆H₄R²-4)(dppe)₂]ⁿ⁺ (*n* = 0, 1) complexes: interpretations beyond
the lowest energy conformer paradigm
S. Marques-Gonzalez, M. Parthey, D. S. Yufit, J. A. K. Howard, M. Kaupp and P. J. Low.
Organometallics* 2014, **33, 4947–4963.
247. Towards understanding P-gp resistance: a case study of the antitumour drug cabazitaxel
U. Baisch and L. Vella-Zarb.
CrystEngComm* 2014, **16, 10161–10164.

248. Coordinating tectons: bimetallic complexes from bipyridyl terminated group 8 alkynyl complexes
G. A. Koutsantonis, P. J. Low, C. Mackenzie, B. W. Skelton and D.S. Yufit.
Organometallics* 2014, **33, 4911–4922.
249. Insights into the crystallisation process from anhydrous, hydrated and solvated crystal forms of diatrizoic acid
K. Fucke, G. J. McIntyre, M.-H. Lemée-Cailleau, C. Wilkinson, A. J. Edwards, J. A. K. Howard and J. W. Steed.
Chem. Eur. J.* 2015, **21, 1036–1047.
250. Conserved hydrogen bonding in tetrahydrocarbazolone derivatives: influence of solution-state assembly on crystal form nucleation
R. M. Edkins, E. Hayden, J. W. Steed and K. Fucke.
Chem. Commun.* 2015, **51, 5314–5317.
251. Syntheses and structures of buta-1,3-diynyl complexes from “on complex” cross-coupling reactions
M.-C. Oerthel, D. S. Yufit, M. A. Fox, M. R. Bryce and P. J. Low.
Organometallics* 2015, **34, 2395–2405.
252. A series of $[\text{Co}(\text{Mabiq})\text{Cl}_{2-n}]$ ($n = 0, 1, 2$) compounds and evidence for the elusive bimetallic form
E. V. Puttock, P. Banerjee, M. Kaspar, L. Drennen, D. S. Yufit, E. Bill, S. Sproules and C. R. Hess.
Inorg. Chem.* 2015, **54, 5864–5873.
253. Fluorous ‘ponytails’ lead to strong gelators showing thermally induced structure evolution
H. Kumari, S. E. Armitage, S. R. Kline, K. K. Damodaran, S. R. Kennedy, J. L. Atwood and J. W. Steed.
Soft Matter* 2015, **11, 8471–8478.
254. Features of styryl dye crystal packings and their influence on [2+2] photocycloaddition reaction with single crystal retention
L. G. Kuz’mina, A. I. Vedernikov, J. A. K. Howard, M. V. Alfimov and S. P. Gromov.
CrystEngComm* 2015, **17, 4584–4591.
255. Influence of bio-isosteric replacement on the formation of templating methanol and acetonitrile solvates in lophines
T. Kitchen, C. Melvin, M. N. M. Najib, A. S. Batsanov and K. Edkins.
Cryst. Growth Des.* 2016, **16, 4531–4538.
256. Water-soluble amino(ethanesulfonate) and [bis(ethanesulfonate)] anthracenes as fluorescent photoinduced electron transfer (PET) pH indicators and Fe^{3+} chemosensors
M. A. Cardona, C. J. Mallia, U. Baisch and D. C. Magri.
RSC Adv.* 2016, **6, 3783–3791.
257. Water-soluble β -aminobisulfonate building blocks for pH and Cu^{2+} indicators
M. A. Cardona, M. Kveder, U. Baisch, M. R. Probert and D. C. Magri.
RSC Adv.* 2016, **6, 84712–84721.
258. Trimeric cyclamers: solution aggregation and high Z' crystals based on guest structure and basicity
S. R. Kennedy, A. Miquelot, J. A. Aguilar and J. W. Steed.
Chem. Commun.* 2016, **52, 11846–11849.
259. Hydration behavior of polylactam clathrate hydrate inhibitors and their small-molecule model compounds
A. Perrin, M. J. Goodwin, O. M. Musa, D. J. Berry, P. Corner, K. Edkins, D. S. Yufit and J. W. Steed.
Cryst. Growth Des.* 2017, **17, 3236–3249.

260. Bright green PhOLEDs using cyclometalated diiridium(III) complexes with bridging oxamidato ligands as phosphorescent dopants
A. M'hamedi, M. A. Fox, A. S. Batsanov, H. A. Al-Attar, A. P. Monkman and M. R. Bryce.
J. Mater. Chem. C*, 2017, **5, 6777–6789.
261. The complex solid-state landscape of sodium diatrizoate hydrates
M. N. M. Najib, K. Back and K. Edkins.
Chem. Eur. J.* 2017, **23, 17339–17347.
262. Melaminium lanthanide oxalate coordination compounds – synthesis and structural varieties
L. Vella-Zarb and U. Baisch.
Z. anorg. allg. Chem.* 2017, **643, 1712–1716.
263. Scrolling of supramolecular lamellae in the hierarchical self-assembly of fibrous gels
C. D. Jones, S. R. Kennedy, M. Walker, D. S. Yufit and J. W. Steed.
Chem* 2017, **3, 603–628.
264. Phosphate-free inhibition of calcium carbonate dishwasher deposits.
Y. Hong, N. Letzelter, J. S. O. Evans, D. S. Yufit and J. W. Steed.
Cryst. Growth Des.* 2018, **18, 1526–1538.
265. Tailored supramolecular gel and microemulsion crystallization strategies – is isoniazid really monomorphic?
S. R. Kennedy, C. D. Jones, D. S. Yufit, C. E. Nicholson, S. J. Cooper and J. W. Steed.
CrystEngComm* 2018, **20, 1390–1398.
266. Persistent dimer emission in thermally activated delayed fluorescence materials
M. K. Etherington, N. A. Kukhta, H. F. Higginbotham, A. Danos, A. N. Bismillah, D. R. Graves, P. R. McGonigal, N. Haase, A. Morherr, A. S. Batsanov, C. Pfleum, V. Bhalla, M. R. Bryce and A. P. Monkman.
J. Phys. Chem. C* 2019, **123, 11109–11117.
267. The influence of molecular geometry on the efficiency of thermally activated delayed fluorescence
R. S. Nobuyasu, J. S. Ward, J. Gibson, B. A. Laidlaw, Z. Ren, P. Data, A. S. Batsanov, T. J. Penfold, M. R. Bryce and F. B. Dias.
J. Mater. Chem. C* 2019, **7, 6672–6684.
268. Achieving conformational control in room-temperature phosphorescence and thermally activated delayed fluorescence emitters by functionalization of the central core
N. A. Kukhta, R. Hugan, A. S. Batsanov, M. R. Bryce and F. B. Dias.
J. Phys. Chem. C* 2019, **123, 26536–26546.
269. Copper-mediated nitrosation: 2-nitrosophenolato complexes and their use in the synthesis of heterocycles
A. J. Nicholls, A. S. Batsanov and I. R. Baxendale.
Molecules* 2019, **24, 4154.
270. Phthalocyanine-polyoxotungstate lanthanide double deckers
S. Sarwar, S. Sanz, J. van Leusen, G. S. Nichol, E. K. Brechin and P. Kögerler.
Dalton Trans.* 2020, **49, 16638–16642.
271. Kinetic selection of Pd_4L_2 metallocyclic and Pd_6L_3 trigonal prismatic assemblies
H. M. O'Connor, M. Coletta, A. Etchervery-Berrios, G. S. Nichol, E. K. Brechin and P. J. Lusby.
Chem. Commun.* 2020, **56, 11799–11802.
272. The crystal engineering of radiation-sensitive diacetylene cocrystals and salts
A. V. Hall, D. S. Yufit, D. C. Apperley, L. Senak, O. M. Musa, D. K. Hood and J. W. Steed.
Chem. Sci.* 2020, **11, 8025–8035.

273. Cyclophane molecules exhibiting thermally activated delayed fluorescence: linking donor units to influence molecular conformation
 M. Hempe, A. K. Harrison, J. S. Ward, A. S. Batsanov, M. A. Fox, F. B. Dias and M. R. Bryce.
J. Org. Chem.* 2021, **86, 429–445.
-

Publications by NCS users with data collected by Newcastle crystallographers

(This list is undoubtedly incomplete)

274. A novel synthetic strategy for hexanuclear supramolecular architectures
 O. V. Dolomanov, A. J. Blake, N. R. Champness, M. Schröder and C. Wilson.
J. Chem. Soc. Chem. Commun. 2003, 682–683.
275. Coordination chemistry of a new cofacial binucleating macropolycycle derived from 1,4,7-triazacyclononane
 L. Tei, M. Arca, M. C. Aragoni, A. Bencini, A. J. Blake, C. Caltagirone, F. A. Devillanova, P. Fornasari, A. Garau, F. Isaia, V. Lippolis, M. Schröder, S. J. Teat and B. Valtancoli.
Inorg. Chem. 2003, **42**, 8690–8701.
276. 4,4'-Sulfonylbis[N-(4-nitrophenylmethylene)benzenamine]: whole-molecule disorder
 P. J. Cox and J. L. Wardell.
Acta Cryst. 2003, **C59**, o706–o708.
277. Structural influence of *cis* and *trans* coordination modes of multi-modal ligands upon coordination polymer dimensionality
 N. S. Oxtoby, A. J. Blake, N. R. Champness and C. Wilson.
Dalton Trans. 2003, 3838–3839.
278. Association and orientation of C₇₀ on complexation with calix[5]arene
 J. L. Atwood, L. J. Barbour, M. W. Heaven and C. L. Raston.
J. Chem. Soc. Chem. Commun. 2003, 2270–2271.
279. Synthesis of [bis(1,3-dithiole-2-thione-4,5-dithiolato)indium(III)]⁻ salts, [Q][In(dmit)₂]: crystal structure of [tetrabutylammonium] [bis(1,3-dithiole-2-thione-4,5-dithiolato)indium(III)]
 B. M. F. Ávila, N. M. Comerlato, R. A. Howie and J. L. Wardell.
Inorg. Chim. Acta 2004, **357**, 1487–1493.
280. Hydrated metal(II) complexes of *N*-(6-amino-3,4-dihydro-3-methyl-5-nitroso-4-oxopyrimidin-2-yl) derivatives of glycine, glycylglycine, threonine, serine, valine and methionine: a monomeric complex and coordination polymers in one, two and three dimensions linked by hydrogen bonds
 M. L. Godino Salido, P. Arranz Mascarós, R. López Garzón, M. D. Gutiérrez Valero, J. N. Low, J. F. Gallagher and C. Glidewell.
Acta Cryst. 2004, **B60**, 46–64.
281. 2-Acetamido-4-*p*-tolyl-1,3-thiazole and 2-amino-4-*p*-tolyl-1,3-thiazolium chloride dihydrate
 D. E. Lynch and I. McClenaghan.
Acta Cryst. 2004, **C60**, o815–o817.
282. N-Heterocyclic “pincer” dicarbene complexes of cobalt(I), cobalt(II), and cobalt(III)
 A. A. Danopoulos, J. A. Wright, W. B. Motherwell and S. Ellwood.
Organometallics 2004, **23**, 4807–4810.
283. ‘Twisted’ isophthalamide analogues
 S. J. Brooks, L. S. Evans, P. A. Gale, M. B. Hursthouse and M. E. Light.
J. Chem. Soc. Chem. Commun. 2005, 734–736.

284. Carbamazepine furfural hemisolvate
A. Johnston, A. J. Florence and A. R. Kennedy.
Acta Cryst. 2005, **E61**, o1777–o1779.
285. The capture of dioxygen, carbon monoxide and sulfur dioxide by $[(\text{PMe}_2\text{Ph})_4\text{Pt}_2\text{B}_{10}\text{H}_{10}]$
J. Bould, C. A. Kilner and J. D. Kennedy.
Dalton Trans. 2005, 1574–1582.
286. Co-transport of H^+/Cl^- by a synthetic prodigiosin mimic
P. A. Gale, M. E. Light, B. McNally, K. Navakhun, K. E. Sliwinski and B. D. Smith.
J. Chem. Soc. Chem. Commun. 2005, 3773–3775.
287. Hydrothermal synthesis and structure of organically templated chain, layered and framework scandium phosphates
S. R. Miller, A. M. Z. Slawin, P. Wormald and P. A. Wright.
J. Solid State Chem. 2005, **178**, 1738–1752.
288. ‘Pincer’ dicarbene complexes of some early transition metals and uranium
D. Pugh, J. A. Wright, S. Freeman and A. A. Danopoulos.
Dalton Trans. 2006, 775–782.
289. The structural and stereogenic properties of pentaerythritoxy-bridged cyclotriphosphazene derivatives:
spiro–spiro, *spiro–ansa* and *ansa–ansa* isomers
S. J. Coles, D. B. Davies, R. J. Eaton, M. B. Hursthouse, A. Kılıç, R. A. Shaw and A. Uslu.
Dalton Trans. 2006, 1302–1312.
290. Anion binding *vs.* deprotonation in colorimetric pyrrolylamidothiourea based anion sensors
L. S. Evans, P. A. Gale, M. E. Light and R. Quesada.
J. Chem. Soc. Chem. Commun. 2006, 965–967.
291. Conformational isomers in $(2RS,3SR,6SR)$ -3-ethyl-2,6-diphenyl-1-phenylacetyl-4-piperidone determined from synchrotron data at 120 K
K. Thanikasalam, R. Jeyaraman, K. Panchanatheswaran, J. N. Low and C. Glidewell.
Acta Cryst. 2006, **E62**, o1452–o1454.
292. Bis(tetrabutylammonium) isophthalate 1-phenyl-3-[2,4,5-tris(3-phenylureido)phenyl]urea: a synchrotron study
M. E. Light, P. A. Gale and S. J. Brooks.
Acta Cryst. 2006, **E62**, o1905–o1907.
293. Organic salt inclusion: the first crystal structures of anion complexes of *N*-confused calix[4]pyrrole
G. W. Bates, M. Kostermans, W. Dehaen, P. A. Gale and M. E. Light.
CrystEngComm 2006, **8**, 444–447.
294. Pyrrolylamidothiourea based anion receptors
L. S. Evans, P. A. Gale, M. E. Light and R. Quesada.
New J. Chem. 2006, **30**, 1019–1025.
295. Structural characterization of selenium and selenium-diiodine analogues of the antithyroid drug
6-*n*-propyl-2-thiouracyl and its alkyl derivatives
C. D. Antoniadis, A. J. Blake, S. K. Hadjikakou, N. Hadjiliadis, P. Hubberstey, M. Schröder and C. Wilson.
Acta Cryst. 2006, **B62**, 580–591.

296. Nine *N*-aryl-2-chloronicotinamides: supramolecular structures in one, two and three dimensions
S. Cuffini, C. Glidewell, J. N. Low, A. G. de Oliveira, M. V. N. de Souza, T. R. A. Vasconcelos, S. M. S. V. Wardell and J. L. Wardell.
Acta Cryst. 2006, **62**, 651–665.
297. Isomers and polymorphs of (*E,E*-1,4-bis(nitrophenyl)-2,3-diaza-1,3-butadienes
C. Glidewell, J. N. Low, J. M. S. Skakle and J. L. Wardell.
Acta Cryst. 2006, **62**, 666–675.
298. Isomeric *N*-(iodophenyl)nitrobenzamides form different three-dimensional framework structures
J. L. Wardell, J. N. Low, J. M. S. Skakle and C. Glidewell.
Acta Cryst. 2006, **62**, 931–943.
299. Group I cation templated formation of luminescent mono- and bis-substituted thionaphthol heterobimetallic complexes of Pr, Nd, Eu and Tb
L. S. Natrajan, A. J. Blake, C. Wilson, J. A. Weinstein and P. L. Arnold.
Dalton Trans. 2006, 4465–4473.
300. Indenyl- and fluorenyl-functionalized *N*-heterocyclic carbene complexes of titanium and vanadium
S. P. Downing and A. A. Danopoulos.
Organometallics 2006, **25**, 1337–1340.
301. 4,5-Bis(phthalimidomethyl)acridine
S. Tapper, F. H. Fry, S. J. Simpson and J. H. R. Tucker.
Acta Cryst. 2007, **63**, o719–o720.
302. Metal complexes with ‘pincer’-type ligands incorporating *N*-heterocyclic carbene functionalities
D. Pugh and A. A. Danopoulos
Coord. Chem. Rev. 2007, **251**, 610–641.
303. Ethyl *N*-[2-(hydroxyacetyl)phenyl]carbamate, ethyl *N*-[2-(hydroxyacetyl)-4-iodophenyl]carbamate and ethyl *N*-[2-(hydroxyacetyl)-4-methylphenyl]carbamate
S. J. Garden, M. B. Corrêa, A. C. Pinto, J. L. Wardell, J. N. Low and C. Glidewell.
Acta Cryst. 2007, **C63**, o234–o238.
304. Stereogenic properties of spiranes combined with one or two equivalent conventional centres of chirality
S. J. Coles, D. B. Davies, M. B. Hursthouse, A. Kılıç, Ş. Şahin, R. A. Shaw and A. Uslu.
J. Organomet. Chem. 2007, **692**, 2811–2821.
305. Stereogenic properties of spiranes combined with four equivalent conventional centres of chirality
S. J. Coles, D. B. Davies, R. J. Eaton, M. B. Hursthouse, A. Kılıç, R. A. Shaw and A. Uslu.
Dalton Trans. 2007, 2040–2047.
306. Hydrogen-bonding interactions in the crystal structure of bis(*N*-propyl-*N*-(2-hydroxyethyl)dithiocarbamato-*S,S'*)nickel(II): Ni[S₂CN(nPr)(CH₂CH₂OH)]₂
E. R. T. Tiekkari, J. L. Wardell and S. M. S. V. Wardell.
J. Chem. Cryst. 2007, **37**, 439–443.
307. Indenyl- and fluorenyl-functionalized *N*-heterocyclic carbene complexes of titanium, zirconium, vanadium, chromium, and yttrium
S. P. Downing, S. C. Guadano, D. Pugh, A. A. Danopoulos, R. M. Bellabarba, M. Hanton, D. Smith and R. P. Tooze.
Organometallics 2007, **26**, 3762–3770.
308. Controlled assembly of silver(I)-pyridylfullerene networks
J. Fan, Y. Wang, A. J. Blake, C. Wilson, E. S. Davies, A. N. Khlobystov and M. Schröder.
Angew. Chem. Int. Ed. 2007, **46**, 8013–8016.

309. Formation of spiro and ansa derivatives in the reaction of 2,2,3,3,4,4-hexafluoropentane-1,5-diol with cyclotriphosphazene: comparison with 2,2,3,3-tetrafluorobutane-1,4-diol
S. Beşli, S. J. Coles, D. Davarcı, D. B. Davies, M. B. Hurshouse and A. Kılıç.
Polyhedron 2007, **26**, 5283–5292.
310. (4*S*,5*S*)-4,5-Bis(3-cyclohexyl-2-thioxobenzimidazol-1-ylmethyl)-2,2-dimethyl-1,3-dioxolane from synchrotron data
C. Marshall and W. T. A. Harrison.
Acta Cryst. 2007, **63**, o4502.
311. ‘Pincer’ pyridine dicarbene complexes of nickel and their derivatives. Unusual ring opening of a coordinated imidazol-2-ylidene
D. Pugh, A. Boyle and A. A. Danopoulos.
Dalton Trans., 2008, 1087–1094.
312. Patterns of hydrogen bonding in mono- and disubstituted *N*-arylpazinecarboxamides
S. M. S. V. Wardell, M. V. N. de Sousa, T. R. A. Vasconcelos, M. de L. Ferreira, J. L. Wardell, J. N. Low and C. Glidewell.
Acta Cryst. 2008, **B64**, 84–100.
313. Molecular and electronic structures of one-electron oxidized Ni^{II}-(dithiosalicylidenediamine) complexes: Ni^{II}-thiolate versus Ni^{II}-thiyl radical states
P. A. Stenson, A. Board, A. Marin-Becerra, A. J. Blake, E. S. Davies, C. Wilson, J. McMaster and M. Schröder.
Chem. Eur. J. 2008, **14**, 2564–2576.
314. Structural diversity in the first metal complexes of 2,5-dicarboxamidopyrroles and 2,5-dicarbothioamidopyrroles
G. W. Bates, P. A. Gale, M. E. Light, M. I. Ogden and C. N. Warrinera.
Dalton Trans. 2008, 4106–4112.
315. Enhancement of H₂ adsorption in Li⁺-exchanged co-ordination framework materials
S. Yang, X. Lin, A. J. Blake, K. M. Thomas, P. Hubberstey, N. R. Champness and M. Schröder.
J. Chem. Soc. Chem. Commun. 2008, 6108–6110.
316. “Pincer” pyridine-dicarbene-iridium complexes: facile C–H activation and unexpected η²-imidazol-2-ylidene coordination
A. A. Danopoulos, D. Pugh and J. A. Wright.
Angew. Chem. Int. Ed. 2008, **47**, 9765–9767.
317. Structure and properties of modular components for applications in topological supramolecular chemistry
A. M. Cagulada, D. E. Lynch and D. G. Hamilton.
Cryst. Growth Des. 2009, **9**, 825–832.
318. Transition metal borylene complexes: boron analogues of classical organometallic systems
D. Vidovic, G. A. Pierce and S. Aldridge.
J. Chem. Soc. Chem. Commun. 2009, 1157–1171.
319. Binuclear cobalt complexes of Schiff-base calixpyrroles and their roles in the catalytic reduction of dioxygen
M. Volpe, H. Hartnett, J. W. Leeland, K. Wills, M. Ogunshun, B. J. Duncombe, C. Wilson, A. J. Blake, J. McMaster and J. B. Love.
Inorg. Chem. 2009, **48**, 5195–5207.

320. A chemical preformulation study of a host–guest complex of cucurbit[7]uril and a multinuclear platinum agent for enhanced anticancer drug delivery
A. R. Kennedy, A. J. Florence, F. J. McInnes and N. J. Wheate.
Dalton Trans. 2009, 7695–7700.
321. Supramolecular structure in s-block metal complexes of sulfonated monoazo dyes: discrepant packing and bonding behavior of *ortho*-sulfonated azo dyes
A. R. Kennedy, P. C. Andrikopoulos, J. -B. Arlin, D. R. Armstrong, N. Duxbury, D. V. Graham and J. B. A. Kirkhouse.
Chem. Eur. J. 2009, **15**, 9494–9504.
322. Indenyl- and fluorenyl-functionalized N-heterocyclic carbene complexes of rhodium and iridium – synthetic, structural and catalytic studies
S. P. Downing, P. J. Pogorzelec, A. A. Danopoulos and D. J. Cole-Hamilton.
Eur. J. Inorg. Chem. 2009, 1816–1824.
323. Reactions ‘pincer’ pyridine dicarbene complexes of Fe(0) with silanes
D. Pugh, N. J. Wells, D. J. Evans and A. A. Danopoulos.
Dalton Trans. 2009, 7189–7195.
324. Gallium tri-chloride derivatives of the sterically demanding pyridines 2,6-Ar₂C₆H₃N (Ar = 2,4,6-Me₃C₆H₂ or 2,4,6-Prⁱ₃C₆H₂)
T. Pell, D. P. Mills, A. J. Blake, W. Lewis and S. T. Liddle.
Polyhedron 2010, **29**, 120–125.
325. Solid state stabilisation of the orally delivered drugs atenolol, glibenclamide, memantine and paracetamol through their complexation with cucurbit[7]uril
F. J. McInnes, N. G. Anthony, A. R. Kennedy and N. J. Wheate.
Org. Biomol. Chem.*, 2010, **8, 765–773.
326. Carbamate complexation by urea-based receptors: studies in solution and the solid state
P. R. Edwards, J. R. Hiscock, P. A. Gale and M. E. Light.
Org. Biomol. Chem.* 2010, **8, 100–106.
327. Two polymorphs of bis(4-benzoylthio-1,3-dithiole-2-thione)-5,5-disulphide
N. M. Comerlato, L. G. Carreira, R. A. Howie, L. da S. Jr and J. L. Wardell.
Z. Krist. 2010, **225**, 29–35.
328. The structural and electrochemical consequences of hydrogenating copper N₂S₂ Schiff base macrocycles
K. D. Trotter, M. K. Taylor, J. C. Forgie, J. Reglinski, L. E. A. Berlouis, A. R. Kennedy, C. M. Spickett and R. J. Sowden.
Inorg. Chim. Acta 2010, **363**, 1529–1538.
329. Structures of (pyrazinecarbonyl)hydrazones of substituted benzaldehydes: different supramolecular arrangements from C–H···X (X = O, N, π) hydrogen bonds
R. A. Howie, C. H. da S. Lima, C. R. Kaiser, M. V. N. de souza, J. L. Wardell and S. M. S. V. Wardell.
Z. Krist. 2010, **225**, 158–166.
330. Benzyl *N*–((*S*)-2-hydroxy-1-{*N'*–[(*E*)-2-methoxybenzylidene]hydrazinecarbonyl}ethyl)carbamate from synchrotron data
A. C. Pinheiro, M. V. N. de Souza, E. R. T. Tiekkink, J. L. Wardell and S. M. S. V. Wardell.
Acta Cryst.* 2010, **66, o1004–o1005.
331. Multinuclear zinc pentafluorobenzene carboxylates: synthesis, characterization, and hydrogen storage capability
C. Redshaw, S. Jana, C. Shang, M. R. J. Elsegood, X. Lu and Z. X. Guo.
Organometallics 2010, **29**, 6129–6132.

332. Multidentate ligands for the synthesis of multimetallic complexes 2. Formation of a planar Cu₄OH motif
A. Mustapha, J. Reglinski, A. R. Kennedy, D. R. Armstrong, J. Sassmannshausen and M. Murrie.
Inorg. Chem. 2010, **49**, 5350–5352.
333. Crystal structures of a benzoselenazole-derived squarylium cyanine dye and three derivatives substituted at the central squaric ring
P. F. Santos, L. V. Reis, P. Almeida and D. E. Lynch.
CrystEngComm 2011, **13**, 1333–1338.
334. Aza-substituted squaraines for the fluorescent detection of albumins
K. D. Volkova, V. B. Kovalska, M. Yu. Lusytskyy, L. V. Reis, P. F. Santos, P. Almeida, D. E. Lynch and S. M. Yarmoluk.
Dyes and Pigments 2011, **90**, 41–47.
335. Crystal and molecular structures of 2-amino-4-nitrobenzoic acid and its cocrystals with 2,2'-bipyridine (2/1) and bis(pyridin-2-yl)ketone (1/1)
J. L. Wardell and E. R. T. Tieckink.
J. Coord. Chem. 2011, **41**, 1418–1423.
336. 1,3-Dicyclohexyl-3-[(pyridin-2-yl)-carbonyl]urea monohydrate from synchrotron radiation
A. C. Pinheiro, M. V. N. de Souza, J. L. Wardell, S. M. S. V. Wardell and E. R. T. Tieckink.
Acta Cryst. 2011, **67**, o2676–o2677.
337. Four distannoxane derivatives containing the bidentate 2-amidoethyl ligand
R. A. Howie, W. T. A. Harrison, G. M. de Lima, J. L. Wardell and S. M. S. V. Wardell.
Z. Krist. 2011, **226**, 739–747.
338. The use of hydrogenated Schiff base ligands in the synthesis of multi-metallic compounds II
A. Mustapha, C. Busche, J. Reglinski and A. R. Kennedy.
Polyhedron 2011, **30**, 1530–1537.
339. Lithol Red: a systematic structural study on salts of a sulfonated azo pigment
A. R. Kennedy, H. Stewart, K. Eremin and J. Stenger.
Chem. Eur. J.* 2012, **18, 3064–3069.
340. Magnesium, calcium and strontium salts of phenylacetic acid
J. B. Arlin, A. R. Kennedy and K. Shankland.
Acta Cryst. 2012, **C68**, m29–m33.
341. Water soluble squaraine dyes for use as colorimetric stains in gel electrophoresis
D. E. Lynch, A. N. Kirkham, M. Z. H. Chowdhury, E. S. Wane and J. Heptinstall.
Dyes and Pigments 2012, **94**, 393–402.
342. The structure and chemistry of tris(pentafluorophenyl)borane protected mononuclear nitridotitanium complexes
A.-M. Fuller, D. L. Hughes, G. A. Jones and S. J. Lancaster.
Dalton Trans. 2012, 5599–5609.
343. Variation in supramolecular arrangements of hydrazones, *o*-H₂NC₆H₄CMe=NNHC₆H₄X (X = H, *o*-, *m*- and *p*-NO₂), derived from *o*-aminoacetophenone and phenylhydrazines
R. A. Howie, T. C. Baddeley, J. L. Wardell and S. M. S. V. Wardell.
J. Mol. Struct.* 2012, **1020, 16–22.
344. (2*E*)-*N'*-[(*E*)-Benzylidene]-3-phenylprop-2-enohydrazide from synchrotron radiation
S. A. Carvalho, E. F. da Silva, C. A. M. Fraga, S. M. S. V. Wardell, J. L. Wardell and E. R. T. Tieckink.
Acta Cryst. 2012, **68**, o2255–o2256.

345. Investigation of a spiro to ansa rearrangement with di-functional alcohols in cyclotriphosphazene derivatives
S. Beşli, S. J. Coles, L. S. Coles, D. B. Davies and A. Kılıç.
Polyhedron 2012, **43**, 176–184.
346. 42 salt forms of tyramine: structural comparison and the occurrence of hydrate formation
N. E. B. Briggs, A. R. Kennedy and C. A. Morrison.
Acta Cryst.* 2012, **B68, 453–464.
347. Water soluble squaraine dyes for use as colorimetric stains in gel electrophoresis. Part 2
D. E. Lynch, A. N. Kirkham, J. Heptinstall and M. J. Cox.
Dyes and Pigments 2013, **99**, 160–167.
348. Aryl-substituents moderate the nature of hydrogen bonds, N–H...N versus N–H...O, leading to supramolecular chains in the crystal structures of N-arylamino 1,2,3-triazole esters
A. C. Cunha, V. F. Ferreira, A. K. Jordão, M. C. B. V. de Souza, S. M. S. V. Wardell, J. L. Wardell, P. A. Tan, R. P. A. Bettens, S. K. Sethe and E. R. T. Tieckink.
CrystEngComm 2013, **15**, 4917–4929.
349. Coordination polymers and polygons using di-pyridyl-thiadiazole spacers and substituted phosphorodithioato Ni^{II} complexes: potential and limitations for inorganic crystal engineering
M. C. Aragoni, M. Arca, S. J. Coles, M. C. Alonso, S. L. Coles, R. P. Davies, M. B. Hursthouse, F. Isaia, R. Lai and V. Lippolis.
CrystEngComm 2016, **18**, 5620–5629.
-